



High Security & Access Control Locks Product Price List for March 1, 2013

ASSA®
ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

Inside Cover
is blank.

Nothing prints here.

Table of Contents

	Page
General Information.....	2
Keys and Keying	9
Mortise Cylinders	12
High Security Mogul Cylinders	16
Rim Cylinders.....	18
Mortise & Rim Interchangeable Core Cylinders	20
Key-in-Knob/Lever Cylinders	22
Deadbolts	26
Auxiliary Locks.....	30
Padlocks.....	36
Profile Cylinders.....	40
Pin Kits, Tools & Accessories	42
Twin Pro Products	46

General Information

Maximum+ Cylinder Program

The Maximum+ program released in 2013 has features that none of our other systems offer. The most advanced secure UL 437 Listed cylinder ever produced.

C4 CLIQ Cylinder Program

Concept 4 is the most advanced access control system designed for a stand alone cylinder and key in the industry today. Offers time zoning, audit trail for cylinder and key. Interface with HID Prox systems in multiple formats. Offered in Maximum+ and Twin Maximum only.

The ALPHA Twin 6000 System, The ALPHA Twin Exclusive System and The Twin Exclusive Cylinder Program

ASSA introduced the ALPHA System of key control programs to meet the security requirements of locksmiths, distributors and end users. The Twin Exclusive System is an extension of the Twin 6000 patent. The Twin Exclusive was introduced as an upgrade to the ASSA Twin 6000 program, introducing new patented keyblanks based on the Twin V-10 patent and new key profiles offering a low cost advantage for extending patent protection for the end user. Briefly, the system consists of four programs:

TEL/Gamma	Locally exclusive keyways for locksmiths
TER/Beta	Regionally exclusive keyways for locksmiths
TED/Delta	Nationally exclusive keyways for distributors
TEE/Alpha	Regionally exclusive keyways for end-users, sold through normal channels of distribution.

Keyway Information

Each key control program utilizes a standard cylinder plug profile (broaching). Various sidebar codes are used to create different keyways. Keyblanks produced after August 1988 are stamped with complete keyway code, e.g., 507-51. Please include keyway code and profile when ordering keys, keyblanks and cylinders, except SNS cylinders. (See Cylinder form, below).

Cylinder Form

ASSA Maximum+, ASSA Twin locks and ASSA cylinders are available in three different forms:

COMP (Complete)	Keyed-different items include two cut keys per cylinder. Keyed-alike items normally include two cut keys per cylinder.
SUB (Sub-assembled)	Uncombined cylinder includes sidebar mechanism, but no tumbler pins, springs or keyblanks. Pin chamber closure strip, plug and screws provided.
SNS (Sub, No sidebar)	Uncombined cylinder without sidebar and sidebar springs. Includes sidepins, sidepin springs, standard tailpiece items and pin chamber closure.

When ordering ASSA Maximum+, ASSA Twin locks and ASSA high security cylinders, be sure to indicate CYLINDER FORM.

Red Core

ASSA provides Red temporary construction cores (red cores are always 51 Profile) for its interchangeable core cylinders upon request. Red cores are \$ 106.00 list and upon return to ASSA, credit will be issued for the full invoiced amount less a **50% handling fee**. Request for credit must be made in writing to ASSA Customer Service referencing the original invoice upon which the red cores appear. KEYS ARE NOT INCLUDED IN THE PRICE OF THE RED CORE AND ARE NOT ELIGIBLE FOR RETURN. All cut keys are invoiced at \$ 16.25 list each.

To order interchangeable core cylinders with temporary cores, specify cylinder model number, Cam, finish, by RED CORE, example, 6552ICR-1 x 626 x RED CORE. Cylinder will be charged at COMP price. To order red core separately, specify 70600ICR. Specify change keys as TWIN-KD-RED and control keys as TWIN-CT-RED. To order permanent cores see page 18.

General Information

Master Keying

ASSA locks and cylinders may be master keyed to meet virtually any requirement. Contact the Key Records Department to discuss special needs. Master keying and bitting charges are shown on page 8.

FINISHES

Standard cylinder shell finishes are shown below. Cylinder plugs are only available in 626/US26D Satin Chrome and 606/US4 Satin Brass. Antique brass (609) is available for deadbolts only.

ASSA BHMA Symbol	Equivalent U.S. Symbol	Euro Finish	Description
625	US 26	11	Bright Chrome
626	US 26D	13	Satin Chrome
605	US 3	20	Bright Brass
606	US 4	23	Satin Brass
609	US 5	47	Antique Brass
624	US 10B	46	Dark Oxidized
612	US 10	33	Satin Bronze

Special Function Cylinders

ASSA offers two special function cylinders most commonly used in the Detention market. One is a directional cylinder, which is operated bi-directionally by one key and in one direction only (clockwise or counterclockwise) by a subordinate key. This special function is accomplished by a modification to the cylinder plug. The necessity for this product is clear; to provide functionality in the system design. However, due to the physical modification of the plug when used in a master key system, the potential size of the master key system will be reduced.

The second special function is a limited rotation cylinder. This cylinder requires two modifications and will be used in conjunction with a directional function. One key will operate bi-directionally 360° and only one direction (clockwise or counter-clockwise) by a subordinate key stopping at a determined position prior to 180°. These modifications will greatly reduce the potential of a master key system.

It is essential to indicate all special function cylinders in the initial master key system design. Otherwise they may not be possible as part of the master key system.

Special function cylinders are offered in limited models and are indicated by a symbol: † Prefixing the model number specifies available in special function.

How to order

Example	Model No.	Finish	Profile - Side Bar
Specify	E8551CW-14	626.....	851 – 888 (For Directional Cylinders)
Specify	E8551WL-14	626.....	851 – 888 (For Limited Rotation Cylinders)

Standard Terms & Conditions of Sale

1. General; Definitions

1.1 Entire Agreement

Unless otherwise agreed to in writing by ASSA, Inc. ("ASSA"), the terms and conditions contained herein constitute the entire agreement between the parties with respect to the subject matter hereof and supercede all prior communications and agreements. Acceptance by ASSA of Buyer's Order, or Buyer's acceptance of ASSA's proposal, is expressly limited to and conditioned upon Buyer's acceptance of these terms and conditions which may not be changed or waived except in writing signed by the parties. Any additional, inconsistent or different terms and conditions contained in Buyer's purchase order or other documentation are hereby expressly rejected.

1.2 Definitions

In these terms and conditions of sale: (i) "Buyer" means the person or entity who accepts a quotation of ASSA for the sale of the Products or whose Order for the Products is accepted by ASSA; (ii) "Conditions" means the standard terms and conditions of sale set out in this document and includes any special terms and conditions agreed to in writing between Buyer and ASSA; (iii) "Order" means an order for Products placed by Buyer with ASSA and accepted by ASSA; (iv) "Products" means the products ordered by Buyer and shall include all products, parts and accessories furnished to Buyer by ASSA.

2. Shipping; Delivery

2.1 Terms of Shipment

Unless otherwise agreed to in writing, all Products are shipped F.O.B. ASSA's location. ASSA reserves the right to deliver in installments.

2.2 Shipping Charges

Subject to Section 2.3, ASSA will pay all shipping charges in advance of shipment only for shipments of \$1,500.00 net U.S. or more with delivery to Buyer at a single location. Buyer will pay all shipping charges in advance of shipment for all shipments that are less than \$1,500.00 net U.S. or that require delivery to Buyer at more than a single location. Such charges will be added to Buyer's invoice. A shipping & handling charge of \$ 1.00 per shipping carton will apply to shipments.

2.3 Choice of Carrier; Route

Unless otherwise requested on Buyer's Order, ASSA will ship by carrier and route of its choice to any freight service point within the continental United States. If Buyer requests a carrier or route on its Order, ASSA will deliver in accordance with such request and Buyer will pay the entire amount of all shipping charges in advance of shipment.

3. Title and Risk of Loss

Subject to Section 5.3, title to and risk of loss of each Product purchased by Buyer shall pass to Buyer and delivery shall be deemed to be complete upon transfer of the Products to a carrier for shipment at ASSA's location or the Products otherwise leave the possession or control of ASSA. This Section 3 shall survive any expiration or termination hereof.

4. Orders

4.1 Acceptance

Orders can be sent to ASSA via the following 3 methods:

Mail: ASSA, Inc., 110 Sargent Drive, P.O. Box 9453, New Haven, CT 06534-0453

Fax: 800-892-3256

E-mail: AssaOrders@assalock.com.

ASSA reserves the right to refuse Orders and is not bound to honor any Order unless and until such Order has been accepted by ASSA. ASSA may refuse an Order by delivering notice, orally or in writing, of such refusal to Buyer within ten (10) days of ASSA's receipt of such Order.

Standard Terms & Conditions of Sale

4.2 End User Security Authorization Procedures.

To insure proper control of End User restricted products, ASSA requires that the End User complete a Delivery of Controlled ASSA Components for End Users Form. The form will indicate where and to whom their restricted product will ship upon leaving the ASSA factory. Restricted product is defined as high security keyblanks, cut keys, sidebars, sub-assembled cylinders (SUB), complete and master keyed cylinders (COMP), and key charts. All orders involving an End User restricted product must be signed by the proper **authorized personnel on file at ASSA**. This is critical in order to maintain the integrity of the End User's key system. ASSA will honor the specific, written instructions of the **authorized personnel** for the shipping and handling of each purchase order. Such instructions must be included with each order. A copy of the End User Controlled Product Delivery Form is available by contacting ASSA customer service or the local ASSA sales representative. Please note the option of blanket authorization on the form. If the end user chooses this option, it is the end user's responsibility to keep the authorization current and on file. ASSA does not maintain any files of blanket authorizations. **A copy of a CURRENT authorization form signed by an authorized signatory must accompany every Distributor purchase order containing End User restricted product sent to ASSA whether the product is shipping to the End User location or not.** All orders not having this form will be suspended indefinitely or until such form is produced. In the event that any change occurs in the authorization of any End User personnel, ASSA will require that official written notification be made to ASSA by the End User on their letterhead before additional orders will be released. A copy of the authorization form "**Controlled Product Delivery Form**" can be found on our website @ www.assalock.com, from the home page select the "**Service & Support**" tab, then select "**Download Area**", then double click "**Controlled Product Delivery Form**", then click on "**Download the CPDF Now.**"

4.3 Order Identification

All packages are identified as to contents and assigned an Order number. The Order number also appears on Order acknowledgements, packing slips, freight bills and invoices.

4.4 Packing

Unless otherwise specified, all locks and cylinders are packed individually.

4.5 Changes and Cancellations

No Order that has been accepted by ASSA may be changed or cancelled by Buyer unless ASSA agrees to such change or cancellation in writing. Buyer will indemnify ASSA in full against all loss (including loss of revenue), costs (including the cost of all labor and materials used), damages, charges, and expenses incurred by ASSA. Changes will result in a delay in the scheduled ship date. Additions to Orders will be entered as a separate Order. Special Orders for non-cataloged items and any Orders that are within sixty (60) days of the original shipment date are not subject to cancellation.

4.6 Return Products Authorization

Return Products will not be accepted unless authorized in advance in writing by ASSA. Used or damaged items will not be accepted. Products returned to ASSA for credit must be received by ASSA within sixty (60) days of initial shipment and must be in saleable condition. The value of goods returned is subject to appraisal as to physical condition. Returns will only be accepted for credit invoicing and a minimum handling charge of 35% will be debited. All returned Products must be shipped F.O.B. ASSA's location, freight prepaid. Credit will not be issued for missing parts. Requirement for returns are: the ordering distributor must request a Return Goods Authorization (RGA) in writing through the same process that purchase orders are done. Each Item being returned must have full item description with the original purchase order number that the item was ordered under or the ASSA order number that the item was shipped under which can be found on the Item box label marked REF#.

Return Goods Authorization is then approved or denied through ASSA's established internal process. In either case the requesting distributor is notified by ASSA in writing. If approved, distributor will receive in writing a Return Goods Authorization Number and instructions for marking containers for authorized items being returned.

Once received, Items are physically inspected and checked against the RGA. Information will then be forwarded to the credit department where credit invoicing will be applied. Any Items sent by distributor that are not listed as part of the authorized return will not be credited and ASSA will not be responsible for return of these items to the shipper.

ASSA will not accept Keyed Cylinder returns.

Standard Terms & Conditions of Sale

5. Price; Taxes; Payment

5.1 Price

Unless otherwise agreed to in writing, the price for the Products shall be ASSA's prevailing price at the time the Order is accepted by ASSA or any other price quoted in writing to Buyer. ASSA's price lists are for general information only and do not constitute a binding, open offer by ASSA for the sale of Products. ASSA reserves the right to modify its standard prices at any time without notice; prices for some Products may change frequently due to market fluctuations.

5.2 Taxes

Buyer shall pay the full amount of any tax or other charge now or hereafter imposed by law upon, with respect to, or measured by the sale, shipment or price of any Product sold hereunder, including without limitation any handling charges; federal, state, or local sales, use, excise, value added, gross receipts or other like taxes; customs duties; and any insurance desired by Buyer. If Buyer is exempt from an applicable tax or duty, then Buyer must provide ASSA with a valid exemption certificate before shipment of Products. Foreign shipments placed with ASSA may require additional charges for documentation and overseas packaging. Such charges will be identified on ASSA's invoices. This Section 5.2 shall survive any expiration or termination hereof.

5.3 Payment

Unless otherwise agreed to in writing, payment is due thirty (30) days from the date of the invoice. If payments are not made when due, Buyer will pay, in addition to the overdue payment, a late charge equal to the lesser of 1.5% per month or the highest applicable rate allowed by law on such overdue amounts. Overdue accounts will be assigned to the credit department for all transactions. Once an account has been assigned to the credit department, no Order may be taken, entered or shipped without approval from the credit manager. Buyer hereby grants ASSA a purchase money security interest in each Product and agrees to cooperate with ASSA in protecting such interest.

6. Insurance

6.1 Insurance Coverage

Buyer shall procure and maintain, at its expense, the following types of insurance from an insurer acceptable to ASSA, in the amounts at least equal to those specified below, with deductibles not in excess of \$100.00. ASSA shall not be required to supply Products to Buyer at any time that the insurance coverage provided for herein is not in full force and effect.

6.2 Certificates

Buyer shall, within fifteen (15) days from the date hereof, furnish ASSA with a certificate of insurance issued by the insurance company or companies issuing the insurance policies required hereby. Such certificates shall provide that written notices shall be given to ASSA at its address specified herein at least forty-five (45) days prior to any cancellation or change in any such policy.

7. Warranties and Limitation of Liability

7.1 Warranty

ASSA represents and warrants the Products against defective material and faulty workmanship for a period of one year after the date of delivery [and warrants the finish to meet quality standards at the time of delivery]. This warranty expressly does not apply to faulty product operation due to: (a) improper installation; (b) the use of any keys, cylinder pins or other accessories not expressly approved by ASSA; or (c) failure to provide reasonable maintenance. ASSA will not warranty cross-keyed cylinders.

7.2 Limitation of Liability

ASSA's liability under this warranty shall be limited solely to the repair or replacement of the Products, or parts thereof, or refund to the Buyer of the purchase price thereof. ASSA shall not be responsible for any defect or non-conformity in the Products that: (a) is created after the time of delivery; (b) results from Products for which materials, specifications or designs were provided by Buyer; or (c) results from modifications to the Products by Buyer or others. IN NO EVENT SHALL ASSA BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN CONTRACT, WARRANTY, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE including but not limited to loss of profits or revenue, loss of use of the Products, delays, or claims of customers of the Buyer or other third parties for such other damages. ASSA's liability on all claims, whether in contract, warranty, negligence, tort, strict liability or otherwise for any loss or damage arising out of, or connected with an Order or the performance or breach thereof, or from the design, manufacture, sale, or delivery shall in no case exceed the purchase price of the Product.

Standard Terms & Conditions of Sale

7.3 No Other Warranties

EXCEPT AS EXPRESSLY SET FORTH IN SECTION 7.1, ASSA MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO THE PRODUCTS OR THEIR CHARACTERISTICS, QUALITY OR PERFORMANCE, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS OF THIRD PARTIES AND ANY SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.

8. Claims

Buyer must notify ASSA of any claim [for adjustment] in writing at ASSA's address specified herein within thirty (30) days after the date of the invoice in question. Buyer must notify ASSA of any claim for shortages or incorrectly filled Orders in writing within ten (10) days after receipt of shipment. Under no circumstances will ASSA be responsible for any charges for labor or material incurred by others without the prior written consent of ASSA.

9. Indemnity

9.1 Personal Injury and Property Damage

Buyer shall indemnify ASSA and hold ASSA harmless against all claims, liability, loss or other damages (including ASSA's legal expenses) to all persons for injury of any nature, including, without limitation, sickness, and/or death, and for property damage caused by any Product or part thereof after the time of delivery of such Product or after such Product otherwise leaves the possession or control of ASSA.

9.2 Compliance with Law

Buyer agrees: (a) to fully comply with all applicable federal, state and local laws, rules, regulations and guidelines, including without limitation, all applicable regulations and guidelines promulgated, from time to time, by Federal and state environmental and transportation officials, and (b) to indemnify and hold harmless ASSA from and against all claims, liability, loss or other damages (including ASSA's legal expenses) resulting in any way from non-compliance therewith.

9.3 Survival

This Section 9 shall survive any expiration or other termination hereof.

10. Trademarks and Other Markings

Buyer shall remove any and all of ASSA's trademarks, labels, distinctive markings, and designs which may appear on any Product or on the packaging material therefore at the time of delivery of such Product and to refrain from making any use of such trademarks, labels, distinctive markings and designs.

11. Miscellaneous

11.1 Governing Law

The validity and interpretation of these terms and conditions of sale shall be governed by the laws of the State of Connecticut without regard to its principles of conflicts of law.

11.2 Force Majeure

ASSA shall not be liable for its failure to perform hereunder due to any contingency beyond its reasonable control, including without limitation acts of God, fires, floods, wars, sabotage, accidents, labor disputes or shortages, governmental laws, ordinances, rules and regulations, whether valid or invalid (including, but not limited to, priorities, requisitions, allocations, and price adjustment restrictions), inability to obtain material, equipment or transportation, and any other similar contingency. In the event of delay due to any such cause, the date of delivery will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

11.3. No Assignment

These terms and conditions of sale are not assignable or transferable by Buyer, in whole or in part, without the prior written consent of ASSA.

Standard Terms & Conditions of Sale

11.4 Modification

No modification or waiver of these terms and conditions of sale shall be effective unless made in a writing signed by ASSA. No course of action shall be deemed to modify these terms and conditions of sale.

11.5 Severability.

Whenever possible each provision and term of these terms and conditions of sale will be interpreted in a manner to be effective and valid but if any provision or term hereof is held to be prohibited by law or invalid, then such provision or term will be ineffective only to the extent of such prohibition or invalidity, without invalidating or affecting in any manner whatsoever the remainder of such provision or term or the remaining provisions or terms hereof.

COPYRIGHTS, PATENTS

All products shown in ASSA catalogs, brochures and price lists are either patented, copyrighted or registered by ASSA. *Prices, products, equipment, finishes, models, specifications and availability are subject to change without notice.

All notices or other correspondence to ASSA may be made at the following address:

ASSA, Inc.
110 Sargent Drive
New Haven, CT 06511
(800) 235-7482
(800) 892-3256 fax

Keys and Keying

The ASSA Key Records Department carefully designs and records master key systems in compliance with customer requirements and ASSA security policy. System documents are thoroughly detailed, produced, and professionally presented, and should be considered valuable and confidential. Key Records information and service is available as follows:

Factory Keyed Cylinders

Cylinders pinned by the factory are supplied "Keyed Different" or if so specified as one of the following options:

- Master Keyed (Bittings provided at No Charge when requested with the order) 15.95 per cylinder
- Keyed Alike/Keyed Different No Charge
- Single Keyed Different (Part of MK System) 15.95 per cylinder

Master Key Log

An ASSA Master Key order log file must be submitted electronically to ASSA Key Records for all factory master keyed orders. The form is available by contacting your ASSA Sales Representative, ASSA Customer Service, or on our web site at www.assalock.com/download.htm. The completed form is then e-mailed to ASSA Key Records at adautaj@assalock.com.

Factory Generated Master Key Systems

ASSA will provide new master key systems for pinning by the locksmith in accordance with prices below:

Bitting lists or key charts requested for key sets ordered with a factory keyed product for new or existing master key systems will be provided at "No Charge."

Orders for bitting lists ONLY without factory keyed product will be charged per the price table below.

Orders for additional bittings for existing master key groups will be provided as follows:

- A) Up to 10 bittings under an existing master key already established in the system will be provided at "No Charge." Orders for all bittings requiring the establishment of a new master key in an existing master key system will be provided per the price table below.
- B) Orders greater than 10 bittings for an existing master key system will be provided per the price table below.
- C) Order acknowledgement will reflect tier number for appropriate quantity.

Tier	Quantity	ON PAPER		ON DISK	
		Bittings Only	Bittings & Pinnings	Bittings Only	Bittings & Pinnings
1	1-50	171.00	513.50	80.50	166.50
2	51-200	257.00	683.90	80.50	331.00
3	201-1000	340.90	854.40	80.50	414.50
4	1001-5000	427.00	1,368.00	80.50	664.00
5	5001-10000	539.00	2,052.30	80.50	997.50
6	10001-25000	755.50	2,736.20	160.50	1,328.00

Over 25,000 or more contact Customer Service for quote.

These prices are for a hierarchical Master Key System with no Cross-keying of selective keys. For special requirements, contact Customer Service or Key Records Department. System design changes requested by the customer to an established ASSA master key system are subject to a \$500.00 list charge.

Systems prior to 1996, contact Customer Service for quote. Disks will be provided in flat ASCII text only.

Standard KD/KA key stamping includes keyway designation code.

Standard MK system stamping includes standard key coding key symbol.

Do Not Duplicate and other special stamping requirements will be priced at 4.20 per stamp. ASSA can stamp up to 6 alpha-numeric characters. If more are required please consult the factory.

Rekeying Charges

Part#	Description	Price
RE-KEY	Non-Master Keyed Cylinders	56.20
RE-KEY-MK	Master Keyed Cylinders	68.80

Factory does not recommend cross-keying and will not warranty any cross-keyed cylinders.

Keys and Keying









Item No.	Description	Price
ASSA Cut Keys		
MAXP-KD	Maximum+ Cut Keys KD/KA	16.50
MAXP-MK	Maximum+ Cut Keys, In a Master Key System	16.50
MAXP-CTRL	Maximum+ Control Key	16.50
TMAX-KD	Twin Maximum Cut Keys KD/KA	16.25
TMAX-MK	Twin Maximum Cut Keys, In a Master Key System	16.25
TMAX-CTRL	Twin Maximum Control Key	16.25
Twin-KD	Twin Exclusive/6000 Classic (Specify Profile) Cut Keys KD/KA	16.25
Twin-MK	Twin Exclusive/6000 Classic (Specify Profile) Cut Keys, In a Master Key System	16.25
Twin-CTRL	Twin Exclusive/Twin 6000 Control Key	16.25
V-10-KD	Twin V-10 Cut Keys KD/KA	16.25
V-10-MK	Twin V-10 Cut Keys, In a Master Key System	16.25
V-10-CTRL	Twin V-10 Control Key	16.25
ASSA Key Blanks		
323330	Maximum+ Key Blank Qty. 100/box (Specify Sidebar Code)	6.50 /ea
359644	Twin Maximum Key Blanks Qty. 100/box (Specify Sidebar Code)	6.25 /ea
867091	Twin 6000 Key Blanks (specify sidebar code and profile) Qty. 100/box	6.25 /ea
E867091	Twin Exclusive Key blanks/Sidebar code (specify sidebar code) Qty 100/box	6.25 /ea
250694	Twin V-10 Keyblanks/Sidebar code (specify sidebar code) Qty 100/box	6.25 /ea
969030	White Code Tags	2.20 /ea
ASSA Coined Key Blanks		
IDC	Initial die charge	483.00/Net
868996	500 minimum key blank quantity each order (Specify profile and side code)	6.25
868996	Maximum+ and Twin Maximum coined keys	6.50
600 Series Cut Keys & Key Blanks		
600-KD	Cut Keys KD / KA	15.95
600-MK	Cut Keys, In a Master Key System	15.95
868062	Key blanks/ Specify profile (UK, UL, UM, PK, PL)	6.05
500 Series Key Blanks		
462000	Key blanks/ specify profile	6.25
700 Series Key Blanks		
462001	Key blanks/ specify profile	6.25
Cut Key Set		
PCKS	Maximum+ Cut Key Set	57.75
TMCKS	Twin Maximum Cut Key Set	56.75
CKS-1	V-10 Cut Key Set	56.75
ECKS	Twin Exclusive Cut Key Set	56.75

Keys and Keying

Item No.	Description	Price
ASSA C4 CLIQ™ Keys		
CLIQ-KD	C4 CLIQ Cut Key	91.15
CLIQ-KDP	C4 CLIQ-Cut Key with Proximity tag	107.10
CLIQ-CK	C4 CLIQ C-Key	159.15
CLIQ-MCK	C4 CLIQ Master C-Key	165.30
CLIQ-CON	C4 CLIQ Contact Key	171.00
ASSA C4 CLIQ™ Programming Unit & Software		
CLIQ-END	Program Device with Single Site Performer Software – Manages C4 CLIQ System	3,213.50
CLIQ-END-NT	Program Device with Network Performer Software – Manages C4 CLIQ System (Up to 3 Clients)	4,175.50
CLIQ-ESDK	Executive Sales Demo Kit	546.00/Net
CLIQ-DEA	Program Device with Single Site Performer Software – Manages Multiple C4 CLIQ Systems	3,213.50
CLIQ-DEA-NT	Program Device w/Network Performer Software – Mges. Multiple C4 CLIQ Systems (Up to 3 Clients)	4,175.50
CLIQ-PD	C4 CLIQ Programming Device	1,175.00
CLIQ-NT-LIC	License Upgrade from Single Site to Network Installation	936.00
CLIQ-TRAINING	Off Site Factory Training	1,250.00/ day
CLIQ-SDK	Sales Demo Kit	7,605.50
ASSA C4 CLIQ™ Remote		
CLIQ-KDR	C4 CLIQ Remote Temporary Key	97.00
CLIQ-RPD	C4 CLIQ Programming Device	716.00
ASSA C4 CLIQ™ Remote Web Hosting & Software		
CLIQ-WH-ENTRY	C4 CLIQ Remote Web Hosting, Entry (1-50 Elements)	412.00
CLIQ-WH-BASIC	C4 CLIQ Remote Web Hosting, Basic (51-200 Elements)	1,099.00
CLIQ-WH-CORP	C4 CLIQ Remote Web Hosting, Corporate (201-999 Elements)	3,436.00
CLIQ-WH-ENTRPS	C4 CLIQ Remote Web Hosting, Enterprise (1000-2999 Elements)	6,185.00
CLIQ-WH-SFT	C4 CLIQ Remote Web Manager Software	14,571.00

Mortise Cylinders

Corbin Jumbo, ASSA Segal, ASSA Otis Elevator Mortise Cylinders

Model#/Cam	Notes	Size	Description	Comp	Sub	SNS
Maximum+						
7951-8	† 	1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	244.50	237.00	230.00
7951-12	† 	1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	244.50	237.00	230.00
9873		1-3/8"	Segal Inside cyl. with Cam	198.50	190.50	183.50
9851E		1-3/8"	Otis Elevator Cylinder	489.25	481.75	474.75
Twin Maximum						
7851-8	† 	1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	239.75	232.25	225.25
7851-12	† 	1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	239.75	232.25	225.25
8873		1-3/8"	Segal Inside cyl. with Cam	194.75	186.75	179.75
8851E		1-3/8"	Otis Elevator Cylinder	480.00	472.50	465.50
Twin Exclusive						
E7551-8	†	1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	239.75	232.25	225.25
E7551-12	†	1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	239.75	232.25	225.25
E6573		1-3/8"	Segal Inside Cylinder with Cam	194.75	186.75	179.75
E6551E		1-3/8"	Otis Elevator Cylinder	480.00	472.50	465.50
Twin 6000 Classic						
7551-8	†	1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	239.75	232.25	225.25
7551-12	†	1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	239.75	232.25	225.25
6573		1-3/8"	Segal Inside cyl. with Cam	194.75	186.75	179.75
6551E		1-3/8"	Otis Elevator Cylinder	480.00	472.50	465.50
Twin V-10						
V7551-8	†	1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	239.75	232.25	225.25
V7551-12	†	1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	239.75	232.25	225.25
V6573		1-3/8"	Segal Inside Mortise Cylinder with Cam	194.75	186.75	179.75
V6551E		1-3/8"	Otis Elevator Cylinder	480.00	472.50	465.50
Twin Low						
L751-8		1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	193.75	185.25	—
L751-12		1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	193.75	185.25	—
600 Series Classic						
751-8		1-1/8"	Corbin Jumbo Mortise Cylinder with Corbin Jumbo Cam	193.75	185.25	—
751-12		1-1/8"	Corbin Jumbo Mortise Cylinder w/ Cor. Jumbo Clover Cam	193.75	185.25	—

† Available in special function cylinders, see page 3, add \$ 32.00 .

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 7951-8 x **CLIQ** x 626 x Sidebar x Comp

Mortise Cylinder Component Parts

Model#	Notes	Description	Price
Maximum+ / Twin Maximum			
867429	*	1-1/8" Cylinder Shell	76.35
867430	*	1-1/4" Cylinder Shell	76.35
867431	*	1-3/8" Cylinder Shell	128.90
867432	*	1-1/2" Cylinder Shell	128.90
867433	*	1-5/8" Cylinder Shell	121.50
867434	*	1-3/4" Cylinder Shell	126.25
867435	*	1-7/8" Cylinder Shell	134.70
867436	*	2" Cylinder Shell	140.05
807987	*	Corbin Jumbo 1-1/8" Shell	88.05
356955	*†	1-1/8" Cylinder Plug	32.90
356956	*†	1-1/4" Cylinder Plug	32.90
356957	*†	1-3/8" Cylinder Plug	37.65
356958	*†	1-1/2" Cylinder Plug	40.85
356959	*†	1-5/8" Cylinder Plug	45.05
356960	*†	1-3/4" Cylinder Plug	49.85
356961	*†	1-7/8" Cylinder Plug	49.85
356962	*†	2" Cylinder Plug	58.35

† – Specify Profile. OA7, OM7

Twin Exclusive / Twin 6000 Classic			
867429	*	1-1/8" Cylinder Shell	76.35
867430	*	1-1/4" Cylinder Shell	76.35
867431	*	1-3/8" Cylinder Shell	128.90
867432	*	1-1/2" Cylinder Shell	128.90
867433	*	1-5/8" Cylinder Shell	121.50
867434	*	1-3/4" Cylinder Shell	126.25
867435	*	1-7/8" Cylinder Shell	134.70
867436	*	2" Cylinder Shell	140.05
807987	*	Corbin Jumbo 1-1/8" Shell	88.05
367019	*†	1-1/8" Cylinder Plug	32.90
367020	*†	1-1/4" Cylinder Plug	32.90
367021	*†	1-3/8" Cylinder Plug	39.80
367022	*†	1-1/2" Cylinder Plug	41.90
367023	*†	1-5/8" Cylinder Plug	33.95
367024	*†	1-3/4" Cylinder Plug	49.85
367025	*†	1-7/8" Cylinder Plug	54.15
367026	*†	2" Cylinder Plug	58.35
907050		Corbin Jumbo Cyl. Thread Adapter	44.95

* – Indicates Finished Components.

† – Specify Profile. 51, 851

Twin V-10			
867429	*	1-1/8" Cylinder Shell	76.35
867430	*	1-1/4" Cylinder Shell	76.35
867431	*	1-3/8" Cylinder Shell	128.90
867432	*	1-1/2" Cylinder Shell	128.90
867433	*	1-5/8" Cylinder Shell	121.50
867434	*	1-3/4" Cylinder Shell	126.25
867435	*	1-7/8" Cylinder Shell	134.70
867436	*	2" Cylinder Shell	140.05
807987	*	Corbin Jumbo 1-1/8" Shell	88.05
353970	*	1-1/8" Cylinder Plug	32.90
353971	*	1-1/4" Cylinder Plug	35.55
353972	*	1-3/8" Cylinder Plug	37.65
353973	*	1-1/2" Cylinder Plug	40.85
353974	*	1-5/8" Cylinder Plug	45.05
353975	*	1-3/4" Cylinder Plug	51.95
353976	*	1-7/8" Cylinder Plug	53.05
353977	*	2" Cylinder Plug	58.35

High Security Mogul Cylinders

Model#/Cam	Notes	Size	Description	Comp	Sub	SNS
Twin Maximum Mogul Cylinders						
M8551-11	†	1-1/8"	AirTeq/Norment Cylinder with Mogul Cam	223.50	216.00	209.00
M8551-14	†	1-1/8"	AirTeq/Norment Cylinder with Sargent Mogul Cam	223.50	216.00	209.00
M8551BR	†	1-1/8"	R.R. Brink Cylinder with #11 Mogul Cam	223.50	216.00	209.00
M8551SS	†	1-1/2"	Southern Steel Cylinder without Cam	223.50	216.00	209.00
M8551FA	†	1-1/2"	Folger Adam Cylinder without Cam	223.50	216.00	209.00
M8551NA	†	1-1/2"	AirTeq/Norment Cylinder without Cam	223.50	216.00	209.00
Twin Exclusive Mogul Cylinders						
E8551-11	†	1-1/8"	AirTeq/Norment Cylinder with Mogul Cam	223.50	216.00	209.00
E8551-14	†	1-1/8"	AirTeq/Norment Cylinder with Sargent Mogul Cam	223.50	216.00	209.00
E8551BR	†	1-1/8"	R.R. Brink Cylinder with #11 Mogul Cam	223.50	216.00	209.00
E8551SS	†	1-1/2"	Southern Steel Cylinder without Cam	223.50	216.00	209.00
E8551FA	†	1-1/2"	Folger Adam Cylinder without Cam	223.50	216.00	209.00
E8551NA	†	1-1/2"	AirTeq/Norment Cylinder without Cam	223.50	216.00	209.00
Twin V-10 Mogul Cylinders						
V8551-11	†	1-1/8"	AirTeq/Norment Cylinder with Mogul Cam	223.50	216.00	209.00
V8551-14	†	1-1/8"	AirTeq/Norment Cylinder with Sargent Mogul Cam	223.50	216.00	209.00
V8551BR	†	1-1/8"	R.R. Brink Cylinder with #11 Mogul Cam	223.50	216.00	209.00
V8551SS	†	1-1/2"	Southern Steel Cylinder without Cam	223.50	216.00	209.00
V8551FA	†	1-1/2"	Folger Adam Cylinder without Cam	223.50	216.00	209.00
V8551NA	†	1-1/2"	AirTeq/Norment Cylinder without Cam	223.50	216.00	209.00
Twin 6000 Classic Mogul Cylinders						
8551-11	†	1-1/8"	AirTeq/Norment Cylinder with Mogul Cam	223.50	216.00	209.00
8551-14	†	1-1/8"	AirTeq/Norment Cylinder with Sargent Mogul Cam	223.50	216.00	209.00
8551BR	†	1-1/8"	R.R. Brink Cylinder with #11 Mogul Cam	223.50	216.00	209.00
8551SS	†	1-1/2"	Southern Steel Cylinder without Cam	223.50	216.00	209.00
8551FA	†	1-1/2"	Folger Adam Cylinder without Cam	223.50	216.00	209.00
8551NA	†	1-1/2"	AirTeq/Norment Cylinder without Cam	223.50	216.00	209.00

No Cams offered for 1-1/2" Mogul cylinders

† Available in special function cylinders, see page 3, add \$ 32.00 .

How To Order ASSA High Security Mogul Cylinders:

Example: **Model #** **Cam** **Finish** **Security Form** **Keyway**
 E8551-11626Sub851-200

Contact Customer
Service Department for
Keyway Numbers.

High Security IC Mogul Cylinders

Model#/Cam	Notes	Size	Description	Comp	Sub	SNS
Twin Maximum Interchangeable Core Mogul Cylinders						
M8551NAIC		1-1/2"	AirTeq/Norment IC Cylinder without Cam	316.75	311.25	304.25
M8551BRIC		1-1/2"	R.R. Brink IC Cylinder without Cam	316.75	311.25	304.25
M8551SSIC		1-1/2"	Southern Steel IC Cylinder without Cam	316.75	311.25	304.25
M8551FAIC		1-1/2"	Folger Adam IC Cylinder without Cam	316.75	311.25	304.25
Twin Exclusive Interchangeable Core Mogul Cylinders						
E8551NAIC		1-1/2"	AirTeq/Norment IC Cylinder without Cam	316.75	311.25	304.25
E8551BRIC		1-1/2"	R.R. Brink IC Cylinder without Cam	316.75	311.25	304.25
E8551SSIC		1-1/2"	Southern Steel IC Cylinder without Cam	316.75	311.25	304.25
E8551FAIC		1-1/2"	Folger Adam IC Cylinder without Cam	316.75	311.25	304.25
Twin 6000 Classic Interchangeable Core Mogul Cylinders						
8551NAIC		1-1/2"	AirTeq/Norment IC Cylinder without Cam	316.75	311.25	304.25
8551BRIC		1-1/2"	R.R. Brink IC Cylinder without Cam	316.75	311.25	304.25
8551SSIC		1-1/2"	Southern Steel IC Cylinder without Cam	316.75	311.25	304.25
8551FAIC		1-1/2"	Folger Adam IC Cylinder without Cam	316.75	311.25	304.25
Twin V-10 Interchangeable Core Mogul Cylinders						
V8551NAIC		1-1/2"	AirTeq/Norment IC Cylinder without Cam	316.75	311.25	304.25
V8551BRIC		1-1/2"	R.R. Brink IC Cylinder without Cam	316.75	311.25	304.25
V8551SSIC		1-1/2"	Southern Steel IC Cylinder without Cam	316.75	311.25	304.25
V8551FAIC		1-1/2"	Folger Adam IC Cylinder without Cam	316.75	311.25	304.25
ASSA 1-1/2" Temporary Interchangeable Red Core Mogul Cylinders						
8551NAICR		1-1/2"	AirTeq/Norment IC Cylinder without Cam	316.75	—	—
8551BRICR		1-1/2"	R.R. Brink IC Cylinder without Cam	316.75	—	—
8551SSICR		1-1/2"	Southern Steel IC Cylinder without Cam	316.75	—	—
8551FAICR		1-1/2"	Folger Adam IC Cylinder without Cam	316.75	—	—







For temporary cores refer to Red Core on page 3.

High Security Mogul Component Parts

Model	Description	Price
354050	1-1/8" Twin Exclusive Mogul Cylinder Plug	50.90
250893	1-1/2" Twin Exclusive Mogul Cylinder Plug	52.00
250861	1-1/8" Twin V-10 Mogul Cylinder Plug	52.00
250894	1-1/2" Twin V-10 Mogul Cylinder Plug	52.00
360451	1-1/8" Twin Maximum Mogul Cylinder Plug	52.00
251126	1-1/2" Twin Maximum Mogul Cylinder Plug	52.00
8551DUM	1-1/8" Mogul Dummy Cylinder	113.50
8551SSDUM	1-1/2" Mogul Dummy Cylinder	113.50
80601	1-1/2" Mogul IC Housing	199.50
354051	1-1/8" Mogul Cylinder Shell	82.75
357672	1-1/2" Mogul Cylinder Shell	85.50
354993	Cam Adapter for 1-1/2" Cylinder	15.40
809339	Mogul Cylinder Plug Cover Plate	17.50
907035	Mogul Chamber Screw Wrench	1.65

To order Interchangeable Cores separately – see page 18 for details.

Rim Cylinders

Model#/Tailpiece	Notes	Description	Comp	Sub	SNS
Maximum+ Rim Cylinders					
9851- (Specify Tailpiece H, V, or L)	† 	1-1/8" Rim Cylinder	137.75	128.00	120.75
7951- (Specify Tailpiece H, V, or L)	† 	Corbin Jumbo Rim Cylinder	261.75	254.25	247.25
59851- (Specify Tailpiece H, V, or L)	† 	Special SARGENT Cylinder (Drilled for SARGENT Devices)	145.00	137.00	130.00
Twin Maximum Rim Cylinders					
8851- (Specify Tailpiece H, V, or L)	† 	1-1/8" Rim Cylinder	134.00	124.25	117.00
7851- (Specify Tailpiece H, V, or L)	† 	Corbin Jumbo Rim Cylinder	254.25	246.75	239.75
58851- (Specify Tailpiece H, V, or L)	† 	Special SARGENT Cylinder (Drilled for SARGENT Devices)	140.75	132.75	125.75
Twin Exclusive Rim Cylinders					
E6551- (Specify Tailpiece H, V, or L)	†	1-1/8" Rim Cylinder	134.00	124.25	117.00
E7551- (Specify Tailpiece H, V, or L)	†	Corbin Jumbo Rim Cylinder	254.25	246.75	239.75
ES6551- (Specify Tailpiece H, V, or L)	†	Special SARGENT Cylinder (Drilled for SARGENT Devices)	140.75	132.75	125.75
Twin 6000 Classic Rim Cylinders					
6551- (Specify Tailpiece H, V, or L)	†	1-1/8" Rim Cylinder	134.00	124.25	117.00
7551- (Specify Tailpiece H, V, or L)	†	Corbin Jumbo Rim Cylinder	254.25	246.75	239.75
S6551- (Specify Tailpiece H, V, or L)	†	Special SARGENT Cylinder (Drilled for SARGENT Devices)	140.75	132.75	125.75
Twin V-10 Rim Cylinders					
V6551- (Specify Tailpiece H, V, or L)	†	1-1/8" Rim Cylinder	134.00	124.25	117.00
V7551- (Specify Tailpiece H, V, or L)	†	Corbin Jumbo Rim Cylinder	254.25	246.75	239.75
VS6551- (Specify Tailpiece H, V, or L)	†	Special SARGENT Cylinder (Drilled for SARGENT Devices)	140.75	132.75	125.75
Twin Low Rim Cylinders					
L651- (Specify Tailpiece H, V, or L)		1-1/8" Rim Cylinder	104.00	96.50	—
L751- (Specify Tailpiece H, V, or L)		Corbin Jumbo Rim Cylinder	199.75	191.25	—
LS651- (Specify Tailpiece H, V, or L)		Special SARGENT Cylinder (Drilled for SARGENT Devices)	124.00	115.00	—
600 Series Rim Cylinders					
651- (Specify Tailpiece H, V, or L)		1-1/8" Rim Cylinder	104.00	96.50	—
751- (Specify Tailpiece H, V, or L)		Corbin Jumbo Rim Cylinder	199.75	191.25	—
S651- (Specify Tailpiece H, V, or L)		Special SARGENT Cylinder (Drilled for SARGENT Devices)	124.00	115.00	—

Note: All rim cylinders are supplied with a spring loaded collar.

† Available in special function cylinders, see page 9, add \$ 32.00 .

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 9851-H x **CLIQ** x 626 x Sidebar x Comp

Note: V = Vertical; H = Horizontal; L = Lazy Motion.

Rim Cylinder Component Parts

Model#	Notes	Description	Price
Maximum+ / Twin Maximum			
354947	*	SARGENT Drilled Rim Shell	110.30
867429	*	1-1/8" Cylinder Shell	76.35
807987	*	Corbin Jumbo 1-1/8" Shell	88.05
356955	* †	1-1/8" Cylinder Plug (Profile OA7 or OM7)	32.90
Twin Exclusive / Twin 6000 Classic			
354947	*	SARGENT Drilled Rim Shell	110.30
867429	*	1-1/8" Cylinder Shell	76.35
807987	*	Corbin Jumbo 1-1/8" Shell	88.05
367019	* †	1-1/8" Cylinder Plug (Profile 51 or 851)	32.90
Twin V-10			
354947	*	SARGENT Drilled Rim Shell	110.30
867429	*	1-1/8" Cylinder Shell	76.35
807987	*	Corbin Jumbo 1-1/8" Shell	88.05
353970	*	1-1/8" Cylinder Plug	32.90

* – Indicates Finished Components.

† – Specify Profile.

Rim Cylinders Ordering Information

How To Order ASSA Rim Cylinders:

Example:	Model #	Tailpiece	Finish	Security Form	Keyway
	9851-	H	626	Sub	OA7-200
Contact Customer Service Department for Keyway Numbers.					











Rim Cylinder mounting plates, screws included with cylinder.
All items available separately below:

Part No.	Description	Price
900210	Rim cylinder mounting plate	2.20/ea
900211	Rim cylinder mounting screws	1.70/ea
900209	Kit, includes plate and 2 screws	3.15/ea
900212	Rim cylinder collar rings (Finish 605, 624 & 626 ONLY)	5.25/ea
867450	Horizontal & Vertical Rim Tailpiece Kit, includes 900209 Kit	21.50/ea
867451	Lazy Motion Rim Tailpiece Kit, includes 900209 Kit	21.50/ea

Aluminum blocking rings, finish 626 or 624 **ONLY**

Part No.	Thickness	Price
900219	1/4"	6.00/ea
900220	3/8"	6.00/ea
900221	1/2"	6.00/ea
Adjustable collar ring, Item No. 900222, finish 626,605 or 624 ONLY ,		
		11.50
Hardened collar ring, Item No. 900223, finish 626 or 624 ONLY ,		
		17.50
Corbin Jumbo Collar, Item No. 900224, finish 626, ONLY		
		14.50

Key-in-Knob/Lever Cylinders

Make	Model#	Notes	Description	Comp	Sub	SNS
Schlage						
Maximum+	98611		Standard and heavy-duty 6-pin, includes cap, pin, spring and break-off tailpiece. For B series Deadbolts Corbin/Russwin CL3300, CL3400, CL3600, CL3700, CK4700, CL3900 (Must use original manufacturer's tailpiece and stabilizing sleeve). CK4400 for all functions except 29, 55, & 82. Also use for A5 & N5 exit trim.	102.75	95.25	88.25
Twin Maximum	88611			99.75	92.25	85.25
Twin Exclusive	E65611			99.75	92.25	85.25
Twin 6000 Classic	65611			99.75	92.25	85.25
Twin V-10	V65611			99.75	92.25	85.25
Twin Low	L6611			87.25	79.75	—
600 Series Classic	6611			87.25	79.75	—
Yale						
Maximum+	98631		Standard and heavy-duty	102.75	95.25	88.25
Twin Maximum	88631			99.75	92.25	85.25
Twin Exclusive	E65631			99.75	92.25	85.25
Twin 6000 Classic	65631			99.75	92.25	85.25
Twin V-10	V65631			99.75	92.25	85.25
Twin Low	L6631			87.25	79.75	—
600 Series Classic	6631			87.25	79.75	—
Yale						
Maximum+	98632		Key-In-Lever style	102.75	95.25	88.25
Twin Maximum	88632			99.75	92.25	85.25
Twin Exclusive	E65632			99.75	92.25	85.25
Twin 6000 Classic	65632			99.75	92.25	85.25
Twin V-10	V65632			99.75	92.25	85.25
Twin Low	L6632			87.25	79.75	—
600 Series Classic	6632			87.25	79.75	—
Corbin/Russwin						
Maximum+	98651		Heavy-duty, new style (Not 3400, 3600, 3800 series) Use for CK4200, & UT5200	102.75	95.25	88.25
Twin Maximum	88651			99.75	92.25	85.25
Twin Exclusive	E65651			99.75	92.25	85.25
Twin 6000 Classic	65651			99.75	92.25	85.25
Twin V-10	V65651			99.75	92.25	85.25
Twin Low	L6651			87.25	79.75	—
600 Series Classic	6651			87.25	79.75	—
Corbin/Russwin						
Maximum+	98652		Standard-duty, new style tailpiece included. For CK4300, 5600, & B2, G2, G3 exit trim	102.75	95.25	88.25
Twin Maximum	88652			99.75	92.25	85.25
Twin Exclusive	E65652			99.75	92.25	85.25
Twin 6000 Classic	65652			99.75	92.25	85.25
Twin V-10	V65652			99.75	92.25	85.25
Twin Low	L6652			87.25	79.75	—
600 Series Classic	6652			87.25	79.75	—











How To Order ASSA Key-in-Knob/Lever Cylinders:

Example: Model # Finish Security Form Keyway
 98611-.....626.....Sub.....OA7-200

Contact Customer
Service Department for
Keyway Numbers.









 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 98611 x  x 626 x Sidebar x Comp

Key-in-Knob/Lever Cylinders

Make	Model#	Notes	Description	Comp	Sub	SNS
Corbin/Russwin						
Maximum+	98653		Russwin cylinder 19F35	127.50	120.00	113.00
Twin Maximum	88653			124.00	116.50	109.50
Twin Exclusive	E65653			124.00	116.50	109.50
Twin 6000 Classic	65653			124.00	116.50	109.50
Twin V-10	V65653			124.00	116.50	109.50
Twin Low	L6653			87.25	79.75	—
600 Series Classic	6653			87.25	79.75	—
Corbin/Russwin						
Maximum+	98654		Russwin cylinder 25F26, 25F56, 24F15, 67F69, 55F76	127.50	120.00	113.00
Twin Maximum	88654			124.00	116.50	109.50
Twin Exclusive	E65654			124.00	116.50	109.50
Twin 6000 Classic	65654			124.00	116.50	109.50
Twin V-10	V65654			124.00	116.50	109.50
Twin Low	L6654			87.25	79.75	—
600 Series Classic	6654			87.25	79.75	—
Corbin/Russwin						
Maximum+	98655		Russwin cylinder 25F65	127.50	120.00	113.00
Twin Maximum	88655			124.00	116.50	109.50
Twin Exclusive	E65655			124.00	116.50	109.50
Twin 6000 Classic	65655			124.00	116.50	109.50
Twin V-10	V65655			124.00	116.50	109.50
Twin Low	L6655			87.25	79.75	—
600 Series Classic	6655			87.25	79.75	—
Falcon						
Twin Exclusive	E65661		S & X Series, Use original manufacturer cap and tailpiece	124.00	116.50	109.50
Twin 6000 Classic	65661			124.00	116.50	109.50
Twin V-10	V65661			124.00	116.50	109.50
Twin Low	L6661			87.25	79.75	—
600 Series Classic	6661			87.25	79.75	—
Sargent						
Maximum+	98671		Integra	127.50	120.00	113.00
Twin Maximum	88671			124.00	116.50	109.50
Twin Exclusive	E65671			124.00	116.50	109.50
Twin 6000 Classic	65671			124.00	116.50	109.50
Twin V-10	V65671			124.00	116.50	109.50
Twin Low	L6671			87.25	79.75	—
600 Series Classic	6671			87.25	79.75	—
Sargent						
Maximum+	88672		Heavy-duty 7, 8, 9 lines KIK	102.75	95.25	88.25
Twin Maximum	88672			99.75	92.25	85.25
Twin Exclusive	E65672			99.75	92.25	85.25
Twin 6000 Classic	65672			99.75	92.25	85.25
Twin V-10	V65672			99.75	92.25	85.25
Twin Low	L6672			87.25	79.75	—
600 Series Classic	6672			87.25	79.75	—

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 98611 x **CLIQ** x 626 x Sidebar x Comp

Key-in-Knob/Lever Cylinders

Make	Model#	Notes	Description	Comp	Sub	SNS
Sargent						
Maximum+	98673		Standard duty 3 tailpieces included 6 Line KIK, 7 Line KIL, 10 Line KIL	102.75	95.25	88.25
Twin Maximum	88673			99.75	92.25	85.25
Twin Exclusive	E65673			99.75	92.25	85.25
Twin 6000 Classic	65673			99.75	92.25	85.25
Twin V-10	V65673			99.75	92.25	85.25
Twin Low	L6673			87.25	79.75	—
600 Series Classic	6673			87.25	79.75	—
Sargent T-Zone						
Maximum+	98673-TZ		T-Zone 11 Line KIL	102.75	95.25	88.25
Twin Maximum	88673-TZ			99.75	92.25	85.25
Twin Exclusive	E65673-TZ			99.75	92.25	85.25
Twin 6000 Classic	65673-TZ			99.75	92.25	85.25
Twin V-10	V65673-TZ			99.75	92.25	85.25
Twin Low	L6673-TZ			87.25	79.75	—
600 Series Classic	6673-TZ			87.25	79.75	—
Weiser						
Twin Exclusive	E65681		4000 & 9000 single cylinder deadbolts, entrance style handle locks	124.00	116.50	109.50
Twin 6000 Classic	65681			124.00	116.50	109.50
Twin V-10	V65681			124.00	116.50	109.50
Twin Low	L6681			87.25	79.75	—
600 Series Classic	6681			87.25	79.75	—
Arrow						
Maximum+	98691		Standard and heavy-duty, 3 tailpiece included for Arrow C, H, L, M, Q, S & W Series Key-in-Knob & Key-in-Lever styles	102.75	95.25	88.25
Twin Maximum	88691			99.75	92.25	85.25
Twin Exclusive	E65691			99.75	92.25	85.25
Twin 6000 Classic	65691			99.75	92.25	85.25
Twin V-10	V65691			99.75	92.25	85.25
Twin Low	L6691			87.25	79.75	—
600 Series Classic	6691			87.25	79.75	—
Arrow						
Maximum+	98692		For Arrow deadbolts only, includes tailpieces for double & single cylinders	102.75	95.25	88.25
Twin Maximum	88692			99.75	92.25	85.25
Twin Exclusive	E65692			99.75	92.25	85.25
Twin 6000 Classic	65692			99.75	92.25	85.25
Twin V-10	V65692			99.75	92.25	85.25
Twin Low	L6692			87.25	79.75	—
600 Series Classic	6692			87.25	79.75	—

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 98673 x **CLIQ** x 626 x Sidebar x Comp

Key-in-Knob/Lever Component Parts

Model#	Description	Price
Maximum+ / Twin Maximum		
868056	Schlage Cylinder Shell	45.10
868057	Yale Cylinder Shell	45.10
367156	Russwin/Corbin Cylinder Shell	45.10
868060	Sargent Integra Cylinder Shell	45.10
868061	Sargent Heavy-duty Cylinder Shell	45.10
367159	Sargent Standard-duty Cylinder Shell	45.10
250619	Arrow Cylinder Shell	44.05
907203	Arrow Deadbolt/Weiser KIK Shell	45.10
356982 †	Schlage Cylinder Plug	45.10
356983 †	Yale Cylinder Plug – (Must specify KIK or KIL)	45.10
356988 †	Sargent Integra Cylinder Plug	45.10
356989 †	Sargent Heavy-Duty 7, 8, 9 Cylinder Plug	45.10
356990 †	Arrow/Sargent 6-line Cylinder Plug	45.10
356984 †	Russwin/Corbin std. & Heavy-Duty Cylinder Plug	45.10
356985 †	Russwin/Corbin 19F35 Cylinder Plug	45.10
356986 †	Corbin 25F26 Cylinder Plug	45.10
356987 †	Russwin/Corbin 25F65 Cylinder Plug	45.10
92C-114	Arrow Deadbolt Cap	3.30
92C-127	Arrow Deadbolt Plug Cap Spring	1.15
92C-128	Arrow Deadbolt Plug Cap Pin	1.15
92C-121	Arrow Deadbolt Washer	1.15
92C-123	Arrow Deadbolt Blocking Piece	2.45
D61-44	Arrow Deadbolt Long Tailpiece (Single Cylinder)	3.30
D62-44	Arrow Deadbolt Short Tailpiece (Double Cylinder)	2.45

† – Specify Profile OA7, OM7.

Twin Exclusive / Twin 6000 Classic		
868056	Schlage Cylinder Shell	45.10
868057	Yale Cylinder Shell	45.10
367156	Russwin/Corbin Cylinder Shell	45.10
868060	Sargent Integra Cylinder Shell	45.10
868061	Sargent Heavy-duty Cylinder Shell	45.10
367159	Sargent Standard-duty Cylinder Shell	45.10
250619	Arrow Cylinder Shell	44.05
907203	Arrow Deadbolt/Weiser KIK Shell	45.10
367068 †	Schlage Cylinder Plug	45.10
367069 †	Yale Cylinder Plug – (Must specify KIK or KIL)	45.10
367073 †	Sargent Integra Cylinder Plug	45.10
367074 †	Sargent Heavy-Duty 7, 8, 9 Cylinder Plug	45.10
868233 †	Falcon S & X Series/Weiser Deadbolt Plug	49.85
868607 †	Arrow/Sargent 6-line Cylinder Plug	37.65
868649 †	Russwin/Corbin std. & Heavy-Duty Cylinder Plug	38.75
868650 †	Russwin/Corbin 19F35 Cylinder Plug	38.75
868651 †	Corbin 25F26 Cylinder Plug	38.75
868652 †	Russwin/Corbin 25F65 Cylinder Plug	38.75
467068 †	Arrow Deadbolt Plug	39.80
92C-114	Arrow Deadbolt Cap	3.30
92C-127	Arrow Deadbolt Plug Cap Spring	1.15
92C-128	Arrow Deadbolt Plug Cap Pin	1.15
92C-121	Arrow Deadbolt Washer	1.15
92C-123	Arrow Deadbolt Blocking Piece	2.45
D61-44	Arrow Deadbolt Long Tailpiece (Single Cylinder)	3.30
D62-44	Arrow Deadbolt Short Tailpiece (Double Cylinder)	2.45

* - Indicates Finished Components





† – Specify Profile 51, 851.

Model#	Description	Price
Twin V-10		
868056	Schlage Cylinder Shell	45.10
868057	Yale Cylinder Shell	45.10
367156	Russwin/Corbin Cylinder Shell	45.10
868060	Sargent Integra Cylinder Shell	45.10
868061	Sargent Heavy-duty Cylinder Shell	45.10
367159	Sargent Standard-duty Cylinder Shell	45.10
250619	Arrow Cylinder Shell	44.05
907203	Arrow Deadbolt/Weiser KIK Shell	45.10
353978 *	Schlage Cylinder Plug	45.10
353979 *	Yale Cylinder Plug – (Must specify KIK or KIL)	36.60
353980 *	Sargent Integra Cylinder Plug	47.75
353981 *	Sargent Heavy-Duty 7, 8, 9 Cylinder Plug	45.10
353982 *	Falcon S & X Series/Weiser Deadbolt Plug	47.75
353983 *	Arrow/Sargent 6-line Cylinder Plug	38.75
353984 *	Russwin/Corbin std. & Heavy-Duty Cylinder Plug	38.75
353985 *	Russwin/Corbin 19F35 Cylinder Plug	38.75
353986 *	Corbin 25F26 Cylinder Plug	38.75
353787 *	Russwin/Corbin 25F65 Cylinder Plug	40.85
453978 *	Arrow Deadbolt Plug	39.80
92C-114	Arrow Deadbolt Cap	3.30
92C-127	Arrow Deadbolt Plug Cap Spring	1.15
92C-128	Arrow Deadbolt Plug Cap Pin	1.15
92C-121	Arrow Deadbolt Washer	1.15
92C-123	Arrow Deadbolt Blocking Piece	2.45
D61-44	Arrow Deadbolt Long Tailpiece (Single Cylinder)	3.30
D62-44	Arrow Deadbolt Short Tailpiece (Double Cylinder)	2.45





* – Indicates Finished Components.

Deadbolts

M80 Series Grade 2 Deadbolt Locks

Model #	Notes	Description	Comp	Sub	SNS
Maximum+					
98M80		Single cylinder w/thumbturn	133.00	125.50	118.50
98M80DC		Double cylinder	208.75	193.75	179.75
Twin Maximum					
88M80		Single cylinder w/thumbturn	130.50	123.00	116.00
88M80DC		Double cylinder	204.75	189.75	175.75
Twin Exclusive					
EM80		Single cylinder w/thumbturn	130.50	123.00	116.00
EM80DC		Double cylinder	204.75	189.75	175.75
Twin 6000 Classic					
M80		Single cylinder w/thumbturn	130.50	123.00	116.00
M80DC		Double cylinder	204.75	189.75	175.75
Twin V-10					
VM80		Single cylinder w/thumbturn	130.50	123.00	116.00
VM80DC		Double cylinder	204.75	189.75	175.75

6000 Series Grade 1 Deadbolt Locks Interchangeable Core

Model #	Notes	Description	Comp	Sub	SNS
Maximum+					
9800IC		Single cylinder IC	358.00	350.50	343.50
9800DCIC		Double cylinder IC	412.75	397.00	388.00
Twin Maximum					
8800IC		Single cylinder IC	341.00	333.50	326.50
8800DCIC		Double cylinder IC	393.00	378.00	369.50
Twin Exclusive					
E6000IC		Single cylinder IC	341.00	333.50	326.50
E6000DCIC		Double cylinder IC	393.00	378.00	369.50
Twin 6000 Classic					
6000IC		Single cylinder IC	341.00	333.50	326.50
6000DCIC		Double cylinder IC	393.00	378.00	369.50
Twin V-10					
V6000IC		Single cylinder IC	341.00	333.50	326.50
V6000DCIC		Double cylinder IC	393.00	378.00	369.50
6000 Series Grade 1 Deadbolt Locks Interchangeable Core Less Core					
6000ICLC		Single cylinder IC	262.25	–	–
6000DCICLC		Double cylinder IC	314.25	–	–













For extra thick doors of 2" – 2-1/2", please suffix model numbers with -ET.

Example:9800-ET6052-3/8" backset.....FSub0A7-200

 – Maximum+ and Twin Maximum available with CLIQ™ Technology, add \$500.00. Example: 9800IC x **CLIQ** x 626 x Sidebar x Comp

Deadbolts

6000 Series Deadbolt Cylinders Only

Model #	Notes	Description	Comp	Sub	SNS
Maximum+					
9881		Outside cylinder	162.25	154.75	147.75
9882		Inside cylinder	162.25	154.75	147.75
9883		Inside & Outside cylinder	324.50	309.50	295.50
9881IC		Outside IC cylinder	261.25	253.75	246.75
9882IC		Inside IC cylinder	261.25	253.75	246.75
9883IC		Inside & Outside IC cylinder	533.25	518.75	504.25
Twin Maximum					
8881		Outside cylinder	157.50	150.00	143.00
8882		Inside cylinder	157.50	150.00	143.00
8883		Inside & Outside cylinder	315.25	300.25	286.25
8881IC		Outside IC cylinder	253.75	246.25	239.25
8882IC		Inside IC cylinder	253.75	246.25	239.25
8883IC		Inside & Outside IC cylinder	518.00	503.50	489.00
Twin Exclusive					
E65811		Outside cylinder	157.50	150.00	143.00
E65812		Inside cylinder	157.50	150.00	143.00
E65813		Inside & Outside cylinder	315.25	300.25	286.25
E65811IC		Outside IC cylinder	253.75	246.25	239.25
E65812IC		Inside IC cylinder	253.75	246.25	239.25
E65813IC		Inside & Outside IC cylinder	518.00	503.50	489.00
Twin 6000 Classic					
65811		Outside cylinder	157.50	150.00	143.00
65812		Inside cylinder	157.50	150.00	143.00
65813		Inside & Outside cylinder	315.25	300.25	286.25
65811IC		Outside IC cylinder	253.75	246.25	239.25
65812IC		Inside IC cylinder	253.75	246.25	239.25
65813IC		Inside & Outside IC cylinder	518.00	503.50	489.00
Twin V-10					
V65811		Outside cylinder	157.50	150.00	143.00
V65812		Inside cylinder	157.50	150.00	143.00
V65813		Inside & Outside cylinder	315.25	300.25	286.25
V65811IC		Outside IC cylinder	253.75	246.25	239.25
V65812IC		Inside IC cylinder	253.75	246.25	239.25
V65813IC		Inside & Outside IC cylinder	518.00	503.50	489.00
Interchangeable Core Cylinder Less Core					
65811CLC		Outside cylinder (Less Core)	120.25	–	–
65812CLC		Inside cylinder (Less Core)	120.25	–	–
65813CLC		Inside & Outside cylinder (Less Core)	264.25	–	–

For extra thick doors of 2" – 2-1/2", please suffix model numbers with -ET.

Example:9881-ET6052-3/8" backset.....FSub0A7-200

 – Maximum + and Twin Maximum available with CLIQ™ Technology, add \$500.00. Example: 9881 x **CLIQ** x 626 x Sidebar x Comp

Deadbolts

600 Series Deadbolt Cylinders Only

Model #	Description	Comp	Sub	SNS
600 Series Classic				
6811	Outside cylinder	124.00	115.00	—
6812	Inside cylinder	124.00	115.00	—
6813	Inside & Outside cylinder	247.25	228.25	—

For extra thick doors of 2" – 2-1/2", please suffix model numbers with -ET.

Example:9881-ET.....605.....2-3/8" backset.....F.....Sub0A7-200

Deadbolts Parts

Model#	Notes	Description	Price
352323		Outside Cylinder Shell	54.10
352324		Inside Cylinder Shell	47.05
352326	*	Thumbturn	54.10
353969	*	Twin V-10 Cylinder Plug	41.65
356071	*	Twin Exclusive Cylinder Plug	41.65
816068	*†	Maximum+ / Twin Maximum Cylinder Plug	54.10
442774	*	Deadbolt Bolt Faceplate	114.80
907001	*	2-3/4" Faceplate Bolt	179.10
907002	*	2-3/4" Drive-In Bolt	179.10
907003	*	2-3/8" Faceplate Bolt	179.10
907004	*	2-3/8" Drive-In Bolt	179.10
907005	*	Strike Plate with Screws	22.75
907007		Reinforced Strike Box and Screws	30.30
907008		Security Bolt Guard Plate	4.70
806263		Thumbturn Tailpiece bushing	6.15
352325		Thumbturn Housing Only	53.05
806265		Thumbturn Spindle	36.25
806266	*	Cylinder Thumbturn Cap	3.75
806266IC		Cylinder Cap, IC	3.35
806266NT	*	Cylinder Cap, No Thumbturn	6.75
806256		IC Cylinder and Thumbturn Cap	7.05
806267	*	Cylinder Ring	47.05
812164		Outside IC Cylinder Housing	59.85



Model#	Notes	Description	Price
806268	*	Spacer Ring 1-3/8" Door	38.75
806270	*	Thumbturn Ring	40.85
806346		Pin Chamber Closing Screws	118.00/pk
806483		Thumbturn Set Screws	1.40
867046		Tailpiece Washer	5.00/ea
867090		Tailpiece Screw	1.65/ea
806262		Tailpiece	3.30
867109		Tailpiece for Special Door Thickness	9.25/ea
907008		Deadbolt Security Guard	4.70
907015		Security Balls for Single & Double Cylinder	1.70
907010		Deadbolt Mounting Bolts (Std. Single Cyl.)	1.70
907011		Deadbolt Mounting Bolts (Std. Double cyl.)	2.25
907012		Deadbolt mounting Bolts (3")	2.75
907013		Deadbolt Mounting Bolts (3-1/4")	3.90
907016		Deadbolt Strike Box Screw	1.40
907017		Grade 1 Cylinder Deadbolt	
		Extension Kit 2"-2-1/2" Thick Door	14.30
907018		Grade 1 Double Cylinder Deadbolt	
		Extension Kit 2"-2-1/2" Thick Door	14.30
907035		Deadbolt Chamber Screw Wrench	1.65
250865		Inside IC Cylinder Housing	52.55

* – Indicates Finished Components.









† – Specify Profile OA7 for Maximum+ or OM7 for Twin Maximum.

Auxiliary Locks

Utility Locks

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
9880		Utility Lock	106.50	98.75	92.00
Twin Maximum					
8880		Utility Lock	101.50	93.75	87.00
Twin Exclusive					
E7680		Utility Lock	101.50	93.75	87.00
Twin 6000 Classic					
7680		Utility Lock	101.50	93.75	87.00
Twin V-10					
V7680		Utility Lock	101.50	93.75	87.00

Cabinet Locks

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
98700AS-138		1-3/8" Door Lock	127.50	119.75	113.00
98800AS-138		1-3/8" Drawer Lock	127.50	119.75	113.00
98850AS-078		7/8" Deadlocking Latch	153.25	145.50	138.75
98850AS-138		1-3/8" Deadlocking Latch	155.50	147.75	141.00
Twin Maximum					
88700AS-138		1-3/8" Door Lock	124.00	116.25	109.50
88800AS-138		1-3/8" Drawer Lock	124.00	116.25	109.50
88850AS-078		7/8" Deadlocking Latch	149.00	141.25	134.50
88850AS-138		1-3/8" Deadlocking Latch	151.00	143.25	136.50
Twin Exclusive					
E700AS-138		1-3/8" Door Lock	124.00	116.25	109.50
E800AS-138		1-3/8" Drawer Lock	124.00	116.25	109.50
E850AS-078		7/8" Deadlocking Latch	149.00	141.25	134.50
E850AS-138		1-3/8" Deadlocking Latch	151.00	143.25	136.50
Twin 6000 Classic					
700AS-138		1-3/8" Door Lock	124.00	116.25	109.50
800AS-138		1-3/8" Drawer Lock	124.00	116.25	109.50
850AS-078		7/8" Deadlocking Latch	149.00	141.25	134.50
850AS-138		1-3/8" Deadlocking Latch	151.00	143.25	136.50
Twin V-10					
V700AS-138		1-3/8" Door Lock	124.00	116.25	109.50
V800AS-138		1-3/8" Drawer Lock	124.00	116.25	109.50
V850AS-078		7/8" Deadlocking Latch	149.00	141.25	134.50
V850AS-138		1-3/8" Deadlocking Latch	151.00	143.25	136.50

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 9871 x **CLIQ** x 626 x Sidebar x Comp

Auxiliary Locks

Keyswitches With Single Gang Plate









Model	Notes	Description	Comp	Sub	SNS
Maximum+					
9870-SG		Single Gang Plate Bi/LED Momentary	331.50	324.00	317.00
9871-SG		Single Gang Plate Bi/LED On/Off	331.50	324.00	317.00
Twin Maximum					
8870-SG		Single Gang Plate Bi/LED Momentary	315.75	308.25	301.25
8871-SG		Single Gang Plate Bi/LED On/Off	315.75	308.25	301.25
Twin Exclusive					
E7700		Single Gang Plate Bi/LED Momentary	315.75	308.25	301.25
E7771		Single Gang Plate Bi/LED On/Off	315.75	308.25	301.25
Twin 6000 Classic					
7700		Single Gang Plate Bi/LED Momentary	315.75	308.25	301.25
7771		Single Gang Plate Bi/LED On/Off	315.75	308.25	301.25
Twin V-10					
V7700		Single Gang Plate Bi/LED Momentary	315.75	308.25	301.25
V7771		Single Gang Plate Bi/LED On/Off	315.75	308.25	301.25

Keyswitches With Narrow Stile Plate

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
9870-N		Narrow Stile Plate Bi/LED Momentary	293.25	285.75	278.75
9871-N		Narrow Stile Plate Bi/LED On/Off	293.25	285.75	278.75
Twin Maximum					
8870-N		Narrow Stile Plate Bi/LED Momentary	279.25	271.75	264.75
8871-N		Narrow Stile Plate Bi/LED On/Off	279.25	271.75	264.75
Twin Exclusive					
E7700-N		Narrow Stile Plate Bi/LED Momentary	279.25	271.75	264.75
E7771-N		Narrow Stile Plate Bi/LED On/Off	279.25	271.75	264.75
Twin 6000 Classic					
7700-N		Narrow Stile Plate Bi/LED Momentary	279.25	271.75	264.75
7771-N		Narrow Stile Plate Bi/LED On/Off	279.25	271.75	264.75
Twin V-10					
V7700-N		Narrow Stile Plate Bi/LED Momentary	279.25	271.75	264.75
V7771-N		Narrow Stile Plate Bi/LED On/Off	279.25	271.75	264.75

Auxiliary Locks

Mortise Keyswitches With Single Gang Plate

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
9851MKS	* 	Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch	350.25	340.75	333.75
9851MKSA	* 	Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	350.25	340.75	333.75
9851MKS2	* 	Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch	350.25	340.75	333.75
9851MKS2A	* 	Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	350.25	340.75	333.75
Twin Maximum					
8851MKS	* 	Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
8851MKSA	* 	Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
8851MKS2	* 	Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
8851MKS2A	* 	Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00
Twin Exclusive					
E6551MKS	*	Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
E6551MKSA	*	Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
E6551MKS2	*	Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
E6551MKS2A	*	Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00
Twin 6000 Classic					
6551MKS	*	Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
6551MKSA	*	Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
6551MKS2	*	Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
6551MKS2A	*	Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00
Twin V-10					
V6551MKS	*	Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
V6551MKSA	*	Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
V6551MKS2	*	Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
V6551MKS2A	*	Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00

* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed on page 32.











– Maximum + and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00.


Example: 9851 MKS x CLIQ x 626 x Sidebar x Comp

Auxiliary Locks

Mortise Keyswitches With Narrow Stile Plate

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
9851MKS-N	* 	Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch	350.25	340.75	333.75
9851MKSA-N	* 	Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	350.25	340.75	333.75
9851MKS2-N	* 	Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch	350.25	340.75	333.75
9851MKS2A-N	* 	Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	350.25	340.75	333.75
Twin Maximum					
8851MKS-N	* 	Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
8851MKSA-N	* 	Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
8851MKS2-N	* 	Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
8851MKS2A-N	* 	Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00
Twin Exclusive					
E6551MKS-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
E6551MKSA-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
E6551MKS2-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
E6551MKS2A-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00
Twin 6000 Classic					
6551MKS-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
6551MKSA-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
6551MKS2-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
6551MKS2A-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00
Twin V-10					
V6551MKS-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
V6551MKSA-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
V6551MKS2-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
V6551MKS2A-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00

* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed below.

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00.
Example: 9851 MKS-N x CLIQ x 626 x Sidebar x Comp

Optional Switches for Mortise Switch Plates

Model	Description	Comp	Sub	SNS
ASMKS	SPDT Momentary	74.95	NA	NA
ASMKSA	SPDT Alternate (ON/OFF)	74.95	NA	NA
ASMKS2	DPDT Momentary	118.95	NA	NA
ASMKS2A	DPDT Alternate (ON/OFF)	118.95	NA	NA

Auxiliary Locks

Keyswitches

Model#	Notes	Description	Comp	Sub	SNS
Maximum+					
9870-LP		Keyswitch Switch Momentary	242.50	234.50	227.00
9871-LP		Keyswitch Switch On/Off	242.50	234.50	227.00
Twin Maximum					
8870-LP		Keyswitch Switch Momentary	230.75	223.25	216.25
8871-LP		Keyswitch Switch On/Off	230.75	223.25	216.25
Twin Exclusive					
E7700-LP		Keyswitch Switch Momentary	230.75	223.25	216.25
E7771-LP		Keyswitch Switch On/Off	230.75	223.25	216.25
Twin 6000 Classic					
7700-LP		Keyswitch Switch Momentary	230.75	223.25	216.25
7771-LP		Keyswitch Switch On/Off	230.75	223.25	216.25
Twin V-10					
V7700-LP		Keyswitch Switch Momentary	230.75	223.25	216.25
V7771-LP		Keyswitch Switch On/Off	230.75	223.25	216.25

Cam Lock Accessories





















Model#	Description	Price
See Catalog	Cam Lock Catches	2.65
CLK-1	Cam Lock Catch Kit (Includes 2 ea. of 31 Cam Catches)	134.65
CLP-D	7/8" Double D Cam Lock/Switch Lock Punch	551.55

Cam Lock Accessories

Model#	Description	Price
490271	Cam Lock cylinder ring	11.10
391053	Cam Lock dust cap	6.40
490825	Cam Lock fixing plate	3.70
491449	Cam Lock fixing plate	3.70
497008	Cam Lock front plate	6.05
490657	Cam Lock front plate	6.05
490821	Cam Lock front plate	6.05
491450	Cam Lock front plate	6.05
490246	Cam Lock washer	1.25
491299	Cam Lock nail plate	2.65
490583	Cam Lock nut	2.25
491439	Cam Lock nut (m11x1)	2.25
490610	Cam Lock housing nut (m22x1)	3.70
490663	Cam Lock housing washer	6.05

Padlocks

Padlocks

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
98190B		No.2 Non-Key-Retaining	133.00	125.50	118.50
98190LB		No.2 Non-Key-Retaining Ext. Shackle	138.75	131.25	124.25
98190SB		No.2 Non-Key-Ret. w/Shrouded Shackle	151.00	144.00	137.00
98191B		No.2 Key-Retaining	133.00	125.50	118.50
98191LB		No.2 Key-Retaining Ext. Shackle	138.75	131.25	124.25
98391B		No.3 Key-Retaining	261.25	253.75	246.75
98391LB		No.3 Key-Retaining Ext. Shackle	289.25	281.75	274.75
98391SB		No.3 Key Ret. w/Shrouded Shackle	295.25	287.75	280.75
98491B		No.4 Key-Retaining	405.50	398.00	391.00
98591SB		No.5 Key Ret. w/Shrouded Shackle	434.75	427.25	420.25
Twin Maximum					
88190B		No.2 Non-Key-Retaining	129.25	121.75	114.75
88190LB		No.2 Non-Key-Retaining Ext. Shackle	135.00	127.50	120.50
88190SB		No.2 Non-Key-Ret. w/Shrouded Shackle	146.75	139.75	132.75
88191B		No.2 Key-Retaining	129.25	121.75	114.75
88191LB		No.2 Key-Retaining Ext. Shackle	135.00	127.50	120.50
88391B		No.3 Key-Retaining	253.75	246.25	239.25
88391LB		No.3 Key-Retaining Ext. Shackle	281.00	273.50	266.50
88391SB		No.3 Key Ret. w/Shrouded Shackle	287.00	279.50	272.50
88491B		No.4 Key-Retaining	394.00	386.50	379.50
88591SB		No.5 Key Ret. w/Shrouded Shackle	422.25	414.75	407.75
Twin Exclusive					
E65190B		No.2 Non-Key-Retaining	129.25	121.75	114.75
E65190LB		No.2 Non-Key-Retaining Ext. Shackle	135.00	127.50	120.50
E65190SB		No.2 Non-Key-Ret. w/Shrouded Shackle	146.75	139.75	132.75
E65191B		No.2 Key-Retaining	129.25	121.75	114.75
E65191LB		No.2 Key-Retaining Ext. Shackle	135.00	127.50	120.50
E65391B		No.3 Key-Retaining	253.75	246.25	239.25
E65391LB		No.3 Key-Retaining Ext. Shackle	281.00	273.50	266.50
E65391SB		No.3 Key Ret. w/Shrouded Shackle	287.00	279.50	272.50
E65491B		No.4 Key-Retaining	394.00	386.50	379.50
E65591SB		No.5 Key Ret. w/Shrouded Shackle	422.25	414.75	407.75
Twin 6000 Classic					
65190B		No.2 Non-Key-Retaining	129.25	121.75	114.75
65190LB		No.2 Non-Key-Retaining Ext. Shackle	135.00	127.50	120.50
65190SB		No.2 Non-Key-Ret. w/Shrouded Shackle	146.75	139.75	132.75
65191B		No.2 Key-Retaining	129.25	121.75	114.75
65191LB		No.2 Key-Retaining Ext. Shackle	135.00	127.50	120.50
65391B		No.3 Key-Retaining	253.75	246.25	239.25
65391LB		No.3 Key-Retaining Ext. Shackle	281.00	273.50	266.50
65391SB		No.3 Key Ret. w/Shrouded Shackle	287.00	279.50	272.50
65491B		No.4 Key-Retaining	394.00	386.50	379.50
65591SB		No.5 Key Ret. w/Shrouded Shackle	422.25	414.75	407.75

How To Order ASSA Padlocks:

Example: **Model #** **Security Form** **Keyway** *Contact Customer Service Department for Keyway Numbers.*
 98191B-.....SubOAT-200

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 98191B x CLIQ x 626 x Sidebar x Comp



Padlocks

Padlocks

Model	Notes	Description	Comp	Sub	SNS
Twin V-10					
V65190B		No.2 Non-Key-Retaining	129.25	121.75	114.75
V65190LB		No.2 Non-Key-Retaining Ext. Shackle	135.00	127.50	120.50
V65190SB		No.2 Non-Key-Ret. w/Shrouded Shackle	146.75	139.75	132.75
V65191B		No.2 Key-Retaining	129.25	121.75	114.75
V65191LB		No.2 Key-Retaining Ext. Shackle	135.00	127.50	120.50
V65391B		No.3 Key-Retaining	253.75	246.25	239.25
V65391LB		No.3 Key-Retaining Ext. Shackle	281.00	273.50	266.50
V65391SB		No.3 Key Ret. w/Shrouded Shackle	287.00	279.50	272.50
V65491B		No.4 Key-Retaining	394.00	386.50	379.50
V65591SB		No.5 Key Ret. w/Shrouded Shackle	422.25	414.75	407.75
600 Series Classic					
6190B		No.2 Non-Key-Retaining	124.00	115.00	—
6190LB		No.2 Non-Key-Retaining Ext. Shackle	135.00	126.00	—
6190SB		No.2 Non-Key-Ret. w/Shrouded Shackle	146.75	137.75	—
6191B		No.2 Key-Retaining	124.00	115.00	—
6191LB		No.2 Key-Retaining Ext. Shackle	135.00	126.00	—
6391B		No.3 Key-Retaining	197.00	188.00	—

Padlocks

Padlock Cylinders Only

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
98911		Padlock Cylinder No. 2, 3, 4-5	89.25	81.75	74.75
Twin Maximum					
88911		Padlock Cylinder No. 2, 3, 4-5	85.00	77.50	70.50
Twin Exclusive					
E65911		Padlock Cylinder No. 2, 3, 4-5	85.00	77.50	70.50
Twin 6000 Classic					
65911		Padlock Cylinder No. 2, 3, 4-5	85.00	77.50	70.50
Twin V-10					
V65911		Padlock Cylinder No. 2, 3, 4-5	85.00	77.50	70.50
600 Series Classic					
6911		Padlock Cylinder No. 2, 3, 4-5	83.00	74.00	—

“Hockey Puck” Shackle Less Padlock

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
9840		Hockey Puck Style Padlock	133.00	124.50	118.00
Twin Maximum					
8840		Hockey Puck Style Padlock	126.75	118.25	111.75
Twin Exclusive					
E6540		Hockey Puck Style Padlock	126.75	118.25	111.75
Twin V-10					
V6540		Hockey Puck Style Padlock	126.75	118.25	111.75

“Hockey Puck” Cylinders Only

Model	Notes	Description	Comp	Sub	SNS
Maximum+					
98411		Hockey Puck Cylinder	88.25	80.75	73.75
Twin Maximum					
88411		Hockey Puck Cylinder	84.00	76.50	69.50
Twin Exclusive					
E65411		Hockey Puck Cylinder	84.00	76.50	69.50
Twin V-10					
V65411		Hockey Puck Cylinder	84.00	76.50	69.50

 – Maximum+ and Twin Maximum available with C4 CLIQ™ Technology, add \$500.00. Example: 98911 x **CLIQ** x **Comp**









Padlocks

Padlocks Parts

Model No.	Description	Price
806898	No.2 Regular Shackle	31.50
807217	No.2 Extended Shackle	33.65
P250517	No.2 Shackle Spring	1.40
806910	No.3 Padlock Shackle	40.45
809387	No.2 Key-Retaining Blocking pin	5.25
809388	No.2 Non-Key-Retaining Blocking Pin/Spring/Tailpiece	38.35
P793810	No.2 Tailpiece Cam Screws	1.40
867046	No.2 Tailpiece Washer	5.00/ea
P857300	No.2 Plate & No. 3 Plate	1.15
803607	No.2 Locking Balls	1.13
P793110	No.2 Cylinder Retaining Screw	1.40
806913	No.3 Cylinder Retaining Screw	6.55
803575	No.3 Locking Ball Bearings	2.17
806911	No.3 Blocking Pin	25.25
089280	No.3 Extended Shackle	40.15
353969	Twin V-10 Padlock Cylinder Plug	41.65
367018	Twin Exclusive / 6000 Classic Padlock Cylinder Plug (Specify Profile 51, 851)	41.65
816068	Maximum+ / Twin Maximum Padlock Cylinder Plug (Specify Profile OA7, OM7)	54.10

Profile Cylinders

M20 Din Euro Profile Cylinders

Model	Description	Comp	Sub	SNS
Maximum+				
98M27	 Large Thumbturn Single Cylinder	Call Factory For Pricing.		
98M24	 Small Thumbturn Single Cylinder			
98M22	 Double Thumbturn Cylinder			
98M23	 Single Cylinder No Thumbturn			
Twin Maximum				
88M27	 Large Thumbturn Single Cylinder	Call Factory For Pricing.		
88M24	 Small Thumbturn Single Cylinder			
88M22	 Double Thumbturn Cylinder			
88M23	 Single Cylinder No Thumbturn			
Twin Exclusive				
E65M27	Large Thumbturn Single Cylinder	Call Factory For Pricing.		
E65M24	Small Thumbturn Single Cylinder			
E65M22	Double Thumbturn Cylinder			
E65M23	Single Cylinder No Thumbturn			
Twin 6000 Classic				
65M27	Large Thumbturn Single Cylinder	Call Factory For Pricing.		
65M24	Small Thumbturn Single Cylinder			
65M22	Double Thumbturn Cylinder			
65M23	Single Cylinder No Thumbturn			

Oval Cylinders

Oval Cylinders

Model	Description	Comp	Sub	SNS
Twin Exclusive				
E6501	Oval, Outside	160.75	153.25	145.75
E6501L	Oval, Outside for 505	173.75	165.75	158.75
E6502	Oval, Double	328.25	314.75	298.25
E6503	Oval, Inside	162.75	154.75	147.75
Twin 6000 Classic				
6501	Oval, Outside	160.75	153.25	145.75
6501L	Oval, Outside for 505	173.75	165.75	158.75
6502	Oval, Double	328.25	314.75	298.25
6503	Oval, Inside	162.75	154.75	147.75
Twin V-10				
V6501	Oval, Outside	160.75	153.25	145.75
V6501L	Oval, Outside for 505	173.75	165.75	158.75
V6502	Oval, Double	328.25	314.75	298.25
V6503	Oval, Inside	162.75	154.75	147.75
600 Series Classic				
601	Oval, Outside	126.25	117.25	—
601L	Oval, Outside for 505	141.75	131.75	—
602	Oval, Double	276.25	257.25	—
603	Oval, Inside	135.50	126.50	—

NOTE: Oval cylinders do not include cylinder rings, mounting screws or other trim.

Oval Cylinder Parts

Model	Description	Price
Twin V-10		
867064	Oval Cyl. Housing, Outside	47.55
867110	Oval Cyl. Housing, Inside	60.10
353969	Oval Cylinder Plug	41.65
Twin Exclusive/6000 Classic		
867064	Oval Cyl. Housing, Outside	47.55
867110	Oval Cyl. Housing, Inside	60.10
367018	Oval Cylinder Plug (Specify Profile)	41.65

Oval Cylinder Adapters

ASSA cylinder adapters allow the use of the Schlage KIK/KIL cylinder with ASSA mortise locks without having to replace existing master key system.

Model No.	Description	Price
803170	Oval Outside Cylinder Adapter, for Schlage KIK/KIL Cylinder	95.65
803171	Oval Inside Cylinder Adapter, for Schlage KIK/KIL Cylinder	95.65
804215	Schlage Adapter Tailpiece (Will fit 505 function)	14.20

Interchangeable Core Parts

Interchangeable Core Parts

Model	Notes	Description	Package Quantity	Price
354023		Control Sleeve		49.85/ea
359058		Maximum+ and Twin Maximum Inner Plug (Specify OA7, OM7)		46.00
353213	*	IC Inner Plug (Specify Profile 51, 851)		45.10 /ea
353968	*	V-10 IC Inner Plug		35.00 /ea
807401		IC C-Ring		1.15/ea
807402		IC Cover Slide		2.10/ea
807403		IC Cam Adapter		37.65/ea
807404		IC Wave Washer		1.70/ea
807405		IC Rubber Stop		2.20/ea
810695	*	IC Core (Figure-8) Housing		76.35 /ea
807411	*	IC Mortise/Rim Housing		93.90 /ea
809340		IC Cylinder Springs (1st Four Chambers)	100	31.00/pk
809312		IC Plug Spacer Washer		1.25/ea

Top Pins For Interchangeable Core Cylinders and Cam Locks

Model	Notes	Description	Package Quantity	Price
809328		Top Pin #2	100	31.75/pk
809329		Top Pin #3	100	31.75/pk
809330		Top Pin #4	100	31.75/pk
809331		Top Pin #5	100	31.75/pk
809332		Top Pin #6	100	31.75/pk
809333		Top Pin #7	100	31.75/pk
809334		Top Pin #8	100	31.75/pk
809335		Top Pin #9	100	31.75/pk
809336		Top Pin #10	100	31.75/pk

Master Pins For Interchangeable Core Cylinders and Cam Locks

Model	Notes	Description	Package Quantity	Price
809314		Master Pin #9	100	33.75/pk
809315		Master Pin #10	100	33.75/pk
809316		Master Pin #11	100	33.75/pk
809317		Master Pin #12	100	33.75/pk
809318		Master Pin #13	100	33.75/pk
809319		Master Pin #14	100	33.75/pk
809320		Master Pin #15	100	33.75/pk
809321		Master Pin #16	100	33.75/pk
809322		Master Pin #17	100	33.75/pk

*Indicate product finish.

Pins, Springs & Closers

Pins, Springs & Closers

Model No.	Notes	Description	Package Quantity	Price
807261		Driver Pin 1-2 (A)	100	33.75/pk
807262		Driver Pin 3-4 (B)	100	33.75/pk
807263		Driver Pin 5-6 (C)	100	33.75/pk
807264		Driver Pin 7-8-9 (D)	100	33.75/pk
867070		Master Pin 1	100	34.00/pk
867071		Master Pin 2	100	34.00/pk
867072		Master Pin 3	100	34.00/pk
867073		Master Pin 4	100	34.00/pk
867074		Master Pin 5	100	34.00/pk
867075		Master Pin 6	100	34.00/pk
867076		Master Pin 7	100	34.00/pk
867077		Master Pin 8	100	34.00/pk
867078		Bottom Pin 1	100	34.00/pk
867079		Bottom Pin 2	100	34.00/pk
867080		Bottom Pin 3	100	34.00/pk
867081		Bottom Pin 4	100	34.00/pk
867082		Bottom Pin 5	100	34.00/pk
867083		Bottom Pin 6	100	34.00/pk
867084		Bottom Pin 7	100	34.00/pk
867085		Bottom Pin 8	100	34.00/pk
867086		Bottom Pin 9	100	34.00/pk
867065		Cylinder Springs	100	34.00/pk
267008	*	Sidebar	25	10.80 /ea.
867015		Twin Side Pins	50	77.50/pk
353838		V-10 Left Hand Side Pins	50	61.00/pk
359654		Maximum+ / Twin Maximum Left Hand Side Pins	50	67.50/pk
807164		Maximum+ / Twin Maximum / V-10 Sidebar Springs	100	23.00/pk
807165		Maximum+ / Twin Maximum / V-10 Sidepin Springs	100	23.00/pk
867087		Twin Sidepin Springs	100	24.00/pk
867088		Twin Sidebar Springs	100	24.00/pk
868141		Pin Chamber Closing Strips, Mort, Rim, KIK	100	0.77/ea
867093		Closing Plugs, Oval Cylinders	100	115.00/pk
806346		Pin Chamber Closing Screws - Jumbo, Mogul, Dbolt	100	118.00/pk

*Specify Side Code

Cams & Tailpieces

Cams & Tailpieces

Model #	Description	Package Qty.	Price
867445	#1 Adams Rite Cam	10	6.55/ea
867452	#2 Sargent Cam	10	6.55/ea
867446	#3 Corbin Clover Leaf Cam	10	6.55/ea
867447	#4 Corbin Beaver Tail Cam	10	7.35/ea
872610	#5 Yale/Standard Cam	10	6.55/ea
867453	#6 Schlage "L" Cam	10	15.95/ea
805412	#7 Segal Type Cam	10	15.95/ea
806471	#8 Jumbo Corbin Cam	10	15.95/ea
907306	#9 Best 30H Series	10	16.45/ea
353445	#10 Airteq/Norment Cam	10	6.40/ea
809337	#11 Airteq/Norment Mogul Cam	10	17.00/ea
354945	#12 Corbin Jumbo Clover Leaf Cam	10	17.00/ea
355849	#13 Sargent Short Cam	10	17.00/ea
355850	#14 Sargent Mogul	10	17.00/ea
872612	#15 Yale Replacement Cam	10	15.95/ea
867450	Horizontal & Vertical Rim Tailpiece kit		21.50/ea
867451	Lazy-motion Rim Tailpiece kit		21.50/ea
868958	Schlage KIK Plug Cap	10	3.25/ea
868959	Schlage KIK Plug Cap Spring	100	1.15/ea
868960	Schlage KIK Plug Cap Pin	100	1.15/ea
804877	Schlage Break-off Tailpiece	10	6.55/ea
868654	Corbin New Style Standard-duty Tailpiece	100	3.70/ea
868624	Rollpin - Corbin	10	1.15/ea
868231	Cylinder Plug Retaining Ring	100	1.16/ea
900250	Sargent 6-line, Arrow Tailpiece (short)		3.55/ea
900251	Sargent 6-line, Arrow Tailpiece (long)		3.55/ea
900252	Sargent 6-line, Arrow Tailpiece retaining ring		1.15/ea
900253	Sargent/Arrow Tailpiece (Med.)		2.95/ea
900254	Sargent 11-line T-Zone Tailpiece		6.55/ea
900256	Yale Key-In-Lever Tailpiece		8.70/ea
900257	Yale Key-In-Lever Roll Pin		3.25/ea
867045	Oval Cylinder Tailpiece	50	4.75/ea
803169	Oval Cylinder Tailpiece, 505 Lock Function		14.75/ea
867046	Tailpiece Washer	50	5.00/ea
867090	Phillips Screws for Cams, Mortise & Oval Tailpiece	100	1.65/ea
868138	Slotted Screws for Rim Tailpiece	100	1.70/ea
868134	Tail Extension for Rim Cylinder		15.25/ea
867109	Break-off Tailpiece for V/H Rim Cylinder		9.25/ea
868136	Lazy Motion Tailpiece for Rim Cylinder		8.95/ea
867454	Sargent RC Tailpiece (7 Line Lever)		13.65/ea
867455	Sargent RC Tailpiece (10 Line Lever)		13.65/ea
867456	Sargent RC Tailpiece (11 Line Lever)		13.65/ea

Pin Kits & Tools

Pin Kits & Tools

Model No.	Notes	Description	Price
PK-1		Pin Kit No.1 Full-Size Standard Kit for Twin	874.15
PK-4		Pin Kit No.4 Mini Pin Kit for Twin	450.20
PK-IC		Pin Kit-Interchangeable Core Upgrade	819.55
PK-MM		Micro Mini Pin Kit	191.25
PK-CAM		PK Cam Lock Upgrade	136.70
MPK		Master Pinning Kit Twin & IC	1,529.50
869018		Twin Series Cutter Wheel for HPC Code Max CM90Z/.032"	528.40
869017		Twin Series Framon Cutter Wheel	454.60
867056		Cutter Wheel for PS-7000R	614.80
KXASDC		Depth Cam for KX-1 ASSA	173.05
KXASSC		Space Cam for KX-1 ASSA	173.05
KXAS01		Cam Set for KX-1	369.75
KXAS02		Cam Set Plus Vise	624.70
KXAS03		Cam Set Plus Cutter	795.70
KXAS04		Cam Set (Cutter Vise)	1,079.45
F2SH050A		ASSA Vise	284.30
807718		ASSA Lock Spray Lubricant	20.60
816296		ASSA Lock Spray Cleaner/De-Icer	20.60
802631		ASSA Lock Spray Dry Film Lubricant	20.60
PL872630		ASSA Maximum+ Cutaway	241.50
M872630		ASSA Twin Maximum Mortise Cylinder Cutaway	241.50
V872630		ASSA Twin V-10 Mortise Cylinder Cutaway	241.50
PS-6000T		Positive Stop Code Key Machine	6,427.00
907200		PK-1 Pin Kit Box Only	191.25
907205		PK-IC Pin Kit Box IC Only	197.10
907206		MPK Pin Kit Box Only	261.10
907207		Micro Mini Pin Kit Box Only	87.20
907208		Pin Kit Cam Lock Upgrade Box Only	87.20
907009		Clear Deadbolt Mounting Ring	20.55
SGTRCTOOL		Shearing Tool for Sargent style Interchangeable Core	407.00
CRRCTOOL		Shearing Tool for Corbin Russwin style Interchangeable Core	407.00
KD-98		ASSA Key Gauge	38.50
907044		ASSA Plug Follower	5.95

Rim Cylinders

Model#/Tailpiece	Notes	Description	Comp	Sub	SNS
Twin Pro Rim Cylinders					
6151- (Specify Tailpiece H, V, or L)	†	1-1/8" Rim Cylinder	134.00	124.25	117.00
7151- (Specify Tailpiece H, V, or L)	†	Corbin Jumbo Rim Cylinder	254.25	246.75	239.75
56151- (Specify Tailpiece H, V, or L)	†	Special SARGENT Cylinder (Drilled for SARGENT Devices)	140.75	132.75	125.75

Note: All rim cylinders are supplied with a spring loaded collar.

† Available in special function cylinders, see page 9, add \$ 32.00 .

Note: V = Vertical; H = Horizontal; L = Lazy Motion.

Mortise and Rim IC Cylinders

Model#/Cam/Tailpiece	Notes	Description	Comp	Sub	SNS
Twin Pro Mortise & Rim IC Cylinders					
6152IC- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 Cyl. price)		1-1/4" IC Mortise Cylinder	176.25	168.75	161.75
6152IC- (Specify Tailpiece H, V or L)		1-1/4" IC Rim Cylinder	182.75	175.25	168.25
7151IC- (Specify Cam)		1-1/4" Corbin Jumbo IC Mortise Cylinder	295.25	287.75	280.75
7151IC- (Specify Tailpiece H, V or L)		1-1/4" Corbin Jumbo IC Rim Cylinder	301.00	293.50	286.50
Interchangeable Cores Only					
61600IC		ASSA IC 6 Pin Core Only	103.00	97.50	90.50
69060IC	†	Sargent IC 6 Pin Core Only	103.00	97.50	90.50
61060IC		Schlage IC 6 Pin Core Only	103.00	97.50	90.50
68060IC		Yale Style IC 6 Pin Core Only	103.00	97.50	90.50

For temporary cores refer to Red Core on page 3.

† This cylinder requires a modified tailpiece for cylindrical locks or part # SGTRCTOOL for mortise cylinders. See Page 42 and 43.

Key-in-Knob/Lever Cylinders

Make	Model#	Description	Comp	Sub	SNS
Schlage					
Twin Pro	61611	Standard and heavy-duty 6-pin, includes cap, pin, spring and break-off tailpiece. For B series Deadbolts Corbin/Ruswin CL3300, CL3400, CL3600, CL3700, CK4700, CL3900 (Must use original manufacturer's tailpiece and stabilizing sleeve). CK4400 for all functions except 29, 55, & 82. Also use for A5 & N5 exit trim.	99.75	92.25	85.25
Yale					
Twin Pro	61631	Standard and heavy-duty	99.75	92.25	85.25
Yale					
Twin Pro	61632	Key-In-Lever style	99.75	92.25	85.25
Corbin/Ruswin					
Twin Pro	61651	Heavy-duty, new style (Not 3400, 3600, 3800 series) Use for CK4200, & UT5200	99.75	92.25	85.25
Corbin/Ruswin					
Twin Pro	61652	Standard-duty, new style tailpiece included. For CK4300, 5600, & B2, G2, G3 exit trim	99.75	92.25	85.25
Corbin/Ruswin					
Twin Pro	61653	Ruswin cylinder 19F35	124.00	116.50	109.50
Corbin/Ruswin					
Twin Pro	61654	Ruswin cylinder 25F26, 25F56, 24F15, 67F69, 55F76	124.00	116.50	109.50
Corbin/Ruswin					
Twin Pro	61655	Ruswin cylinder 25F65	124.00	116.50	109.50
Sargent					
Twin Pro	61671	Integra	124.00	116.50	109.50
Sargent					
Twin Pro	61672	Heavy-duty 7, 8, 9 lines KIK	99.75	92.25	85.25
Sargent					
Twin Pro	61673	Standard duty 3 tailpieces included 6 Line KIK, 7 Line KIL, 10 Line KIL	99.75	92.25	85.25
Sargent T-Zone					
Twin Pro	61673-TZ	T-Zone 11 Line KIL	99.75	92.25	85.25
Arrow					
Twin Pro	61691	Standard and heavy-duty, 3 tailpiece included for Arrow C, H, L, M, Q, S & W Series Key-in-Knob & Key-in-Lever styles	99.75	92.25	85.25
Arrow					
Twin Pro	61692	For Arrow deadbolts only, includes tailpieces for double & single cylinders	99.75	92.25	85.25

Deadbolts

6000 Series Grade 1 Deadbolt Locks

Model #	Description	Comp	Sub	SNS
Twin Pro				
6100	Single cylinder w/thumbturn	262.25	253.25	248.25
6100DC	Double cylinder	366.75	357.75	349.25
6100NT	Single cylinder no thumbturn	236.50	229.00	222.00
6100LB	Single cylinder less bolt	157.50	150.00	143.00
6100DCLB	Double cylinder less bolt	251.75	237.25	222.75

M80 Series Grade 2 Deadbolt Locks

Model #	Description	Comp	Sub	SNS
Twin Pro				
61M80	Single cylinder w/thumbturn	130.50	123.00	116.00
61M80DC	Double cylinder	204.75	189.75	175.75

6000 Series Grade 1 Deadbolt Locks Interchangeable Core

Model #	Description	Comp	Sub	SNS
Twin Pro				
6100IC	Single cylinder IC	341.00	333.50	326.50
6100DCIC	Double cylinder IC	393.00	378.00	369.50

6000 Series Deadbolt Cylinders Only

Model #	Description	Comp	Sub	SNS
Twin Pro				
6181	Outside cylinder	157.50	150.00	143.00
6182	Inside cylinder	157.50	150.00	143.00
6183	Inside & Outside cylinder	315.25	300.25	286.25
6181IC	Outside IC cylinder	253.75	246.25	239.25
6182IC	Inside IC cylinder	253.75	246.25	239.25
6183IC	Inside & Outside IC cylinder	518.00	503.50	489.00

Auxiliary Locks

Tube Lock

Model No.	Description	Comp	Sub	SNS
Twin Pro				
61617	Wall Tube Lock	254.75	247.25	240.25

Cam Locks

Model	Description	Comp	Sub	SNS
Twin Pro				
6171	Key Retaining Cam Lock 90°	75.00	67.25	60.50
7171	Non-Key Retaining Cam Lock 360°	81.00	73.25	66.50

Utility Locks

Model	Description	Comp	Sub	SNS
Twin Pro				
6180	Utility Lock	101.50	93.75	87.00

Cabinet Locks

Model	Description	Comp	Sub	SNS
Twin Pro				
61700AS-138	1-3/8" Door Lock	124.00	116.25	109.50
61800AS-138	1-3/8" Drawer Lock	124.00	116.25	109.50
61850AS-078	7/8" Deadlocking Latch	149.00	141.25	134.50
61850AS-138	1-3/8" Deadlocking Latch	151.00	143.25	136.50

Keyswitches With Single Gang Plate

Model	Description	Comp	Sub	SNS
Twin Pro				
6700	Single Gang Plate Bi/LED Momentary	315.75	308.25	301.25
6771	Single Gang Plate Bi/LED On/Off	315.75	308.25	301.25

Keyswitches With Narrow Stile Plate

Model	Description	Comp	Sub	SNS
Twin Pro				
6700-N	Narrow Stile Plate Bi/LED Momentary	279.25	271.75	264.75
6771-N	Narrow Stile Plate Bi/LED On/Off	279.25	271.75	264.75

Mortise Keyswitches With Single Gang Plate

Model	Notes	Description	Comp	Sub	SNS
Twin Pro					
6151MKS	*	Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
6151MKSA	*	Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
6151MKS2	*	Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
6151MKS2A	*	Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00

* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed on page 32.

Auxiliary Locks

Mortise Keyswitches With Narrow Stile Plate

Model	Notes	Description	Comp	Sub	SNS
Twin Pro					
6151MKS-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch	343.50	334.00	327.00
6151MKSA-N	*	Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch	343.50	334.00	327.00
6151MKS2-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch	343.50	334.00	327.00
6151MKS2A-N	*	Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch	343.50	334.00	327.00

* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed below.

Optional Switches for Mortise Switch Plates

Model	Description	Comp	Sub	SNS
ASMKS	SPDT Momentary	74.95	NA	NA
ASMKSA	SPDT Alternate (ON/OFF)	74.95	NA	NA
ASMKS2	DPDT Momentary	118.95	NA	NA
ASMKS2A	DPDT Alternate (ON/OFF)	118.95	NA	NA

Keyswitches

Model	Description	Comp	Sub	SNS
Twin Pro				
6700-LP	Keyswitch Switch Momentary	230.75	223.25	216.25
6771-LP	Keyswitch Switch On/Off	230.75	223.25	216.25

Padlocks

Padlocks

Model	Description	Comp	Sub	SNS
Twin Pro				
61190B	No.2 Non-Key-Retaining	129.25	121.75	114.75
61190LB	No.2 Non-Key-Retaining Ext. Shackle	135.00	127.50	120.50
61190SB	No.2 Non-Key-Ret. w/Shrouded Shackle	146.75	139.75	132.75
61191B	No.2 Key-Retaining	129.25	121.75	114.75
61191LB	No.2 Key-Retaining Ext. Shackle	135.00	127.50	120.50
61391B	No.3 Key-Retaining	253.75	246.25	239.25
61391LB	No.3 Key-Retaining Ext. Shackle	281.00	273.50	266.50
61391SB	No.3 Key Ret. w/Shrouded Shackle	287.00	279.50	272.50
61491B	No.4 Key-Retaining	394.00	386.50	379.50
61591SB	No.5 Key Ret. w/Shrouded Shackle	422.25	414.75	407.75

How To Order ASSA Padlocks:

Example: **Model #** **Security Form** **Keyway**
 98191B-.....SubOA7-200

Contact Customer
Service Department for
Keyway Numbers.

Padlock Cylinders Only

Model	Description	Comp	Sub	SNS
Twin Pro				
61911	Padlock Cylinder No. 2, 3, 4-5	85.00	77.50	70.50

“Hockey Puck” Shackle Less Padlock

Model	Description	Comp	Sub	SNS
Twin Pro				
6140	Hockey Puck Style Padlock	126.75	118.25	111.75

“Hockey Puck” Cylinders Only

Model	Description	Comp	Sub	SNS
Twin Pro				
61411	Hockey Puck Cylinder	84.00	76.50	69.50

Inside Back Cover
is blank.

Nothing prints here.



ASSA, Inc.

110 Sargent Drive, P.O. Box 9453
New Haven, CT 06534-0453

Phone: 800-235-7482 • Fax: 800-892-3256

E-mail: AssaOrders@assalock.com.

Websites: www.assalock.com • www.assacliq.com



ASSA ABLOY is the
global leader in door
opening solutions
dedicated to satisfying
end-user needs for
security, safety and
convenience.